

Description

1882	1 No 12 Bass Rod.both tips full length. Guides. (No 200)
	2 No 12 Bass Rods Reel back of ha one to have 3 tips 2 short & one long (marked R)
	1 No 12 Bass Rod. Reel above hand 8-3 long. (marked RD)
	No 7 Bass Rod. Reel above hand 8-3 long both tips full len (No 201)
	1 No 7 Bass Rod Reel above hand 8-3 long. (No 203)
	1 No 7 Bass Rod Reel above hand 8-3 long. (No 202)
	1 No 2 Rod. (Not Nicked) (No 205)
	1 Paddlewood Bass Rod. Reel above hand Pat Reel Seat 9 ft long (No 50)
	1 No 7 Bass Rod regular finished (No 206)
	1 Rod to be repaired 2 new tips and ferrule on old tip (No 275)
	1 rod to be repaired one new 2 nd joint (No 101)
	1 Rod to be repaired 2 new tips (Marked R)
	1 Rod to be repaired varnish 1 new tip & C (No 92)
	1 Rod to be repaired varnish 1 new tip repair & ... one (No 61)
	3 no 10 Rods Extra Shor Tip
	No 11 Rod (No 213)
	1 Rod to repair one new Butt No 6
	1 Rod to be repaired No 102 Gen overhauling one 2 nd joint ? No 102
	1 No 7 Bass Rod both tips full length No 251
	1 No 7 Bass Rod 5 Tips 3 long 2 short 2 tips wanted (marked 0) Bass for no7 rod 1 long 1 short
	1 No 7 Bass Rod No 250
	No 4 Rod 11ft long 2 tips 1 6in short No 200
	1 #10 mod with 1 bait tip extra to be made immediately No 265
	1 No 11 Rod reel back of hand with guides No 266
	1 No 11 Rod Reel back of hand with guides No 267
	1 Tip (Marked M)
	No 11 Rod finished No 268
	1 Bamboo fly Rod No 100
	1 No 11 Rod No 269
	1 No 2 Rod No 272
	1 No 13 Rod Bamboo Bass Rod No 102
	2 Short Bamboo Tips rings Marked W
	2 No 7 Paddlewood Rods
	1 No 9 Rod Bamboo No 101
	1 No 11 Rod No 270
	1 No 7 Bass Rod Reel back of hand Rings No 250
	1 No 7 Bass Rod Reel back of hand Rings No 251
	1 No 9 Bamboo Fly No 252

	1 Bamboo rod to be repaired 1 new 2 nd joint made
	one No 12 Bass Rod 1 Rod to be repaired ferrules reset on tips
	2 Tips to be repaired ferrules reset
	1 Bass Rod No 12 ferrules reset on tips 2 new tips No 200
	1 No 10 Rod to be repaired 2 new tips one 10in short Marked S
	S9(?) to 59 Stockton St Brooklyn NY 1 Pond Rod "Cheney Rod" repair front rod Pond ?? 11 ft long but a good bait repair - ???- send to 97 breene st NY by ????
	1 Bamboo Bass rod 2 nd joint new Marked 215
	1 No 7 Bass Rod to be repaired make 2 new tips longer & one 2 nd joint No 98
	3 No 11 Tips Marked G
	1 NO 1 Rod to be repaired Make 1 new tip new hand winding varnish No 76
	1 Hornbeam rod 11ft long ferrule on butt and larger end of 2 nd joint tip and small end of 2 joint whipped with splice no ferrules
	1 11 ft Bass Rod of Hornbeam brass ferrules nickel plated
	1 No1 Rod with one short tip extra No 225
	1 Rod for repairs 1- new 2 nd joint No 113
	1 Rod to be repaired 2 new tips One rod (54) ferrules reset on tips Marked V.P
	One Bass Rod to be repaired one hornbeam tip made Marked C
	one no1 rod for repair 1 new 2 nd joint No 31
	1 Bamboo Rod for repair ferrules reset on 2 nd joint and long a incline? on butt from ferrule down to the hand winding No 160
	1 No 8 Rod for repair one new tip ferrules reset on all joints 1 new ferrule on tip No 75
1883	1 Cheney Rod with Hornbeam butt tips 6 in short, left full size when cut off and 3 ring metal tips point on Pat Reel Seat reel above hand. Marked M
	1 Bamboo rod for repairs one new 2 nd joint ferrule reset on old joint No 21
	1 No 13 Rod Henshal pattern 8-3 guides No 20
	one No 7 rod one No 1 (no 7 Marked D) Rods for repair No 7 on new tip & new ferrules one old tips No 1 one new ferrule on tip (No 1 Marked X)
	3 No 13 rods reel back of hand. rings, Nos 21, 22 & 23
	1 No 13 rod Henshal 8-3 No 24
	1 No 13 rod Henshal 8-3 No 25
	1 No 8 Rod for repair one new tip. new ferrule on old tip old tip reconnd New ferrule on larger end of 2 nd joint No 5
	Lanesboro, Mass 1 2 nd joint to bait rod
	1 No 7 Rod reel back of hand both tips full length No 117
	1 Bait Rod for repairs 1 new Tip 2 nd joint rewound varnish Rod Chare 2.50, Paid
	One Trolling Rod 10 ft long two 2 nd joints 4 tips, two of the tips short one of them very short. No 20
	1 No 9 Fly Rod No 122
	1 Rod for repairs one new butt. wind and varnish rod. Paid \$2.50
	1 Salmon Rod for repair scraped and varnished

1 No 9 Bamboo rod. one short tip wated tip 2-6 long,
1 Rod for repairs one new tip (marked 85 - H)
1 No 1 Rod for repairs 2 new tips made (marked No 100 B)
One No 7 Bass Rod for repairs One new tip made Marked 54-R
1 Rod for repairs No 213
1 No 1 Rod for repairs 2 new tips No 108
1 9ft Bamboo Bass Rod rings. Reel back No 200
One old tip sent by mail new tip wanted 40 inches long saw size lancewood (marked Day)
1 No 13 9ft Bamboo Rod reel back
1 No 7 Rod
1 No 12 Rod reel above hand, guides
1 Bait Rod for repairs one new tip made (marked Dyer)
1 No 1 Rod for repairs 1 new butt made (marked 20-H)
1 No 7 Rod for repairs (Marked 100-F)
1 No 1 Rod for repairs 2 new tips wanted & 1 New 2 nd joint Repair old tip 2 nd Joint & Butt (marked 12-K)
1 2 nd joint wants short Butt fitted to it 20 in long over all
1 No 7 Bass Rod 8 1/2 ft long pat reel seat above hand No 206
1 No 7 Rod 8-3 long reel above No 207
1 No 11 Rod Extra 2 nd Joint and tip No 106
1 No 7 Bass Rod reel above And rings No 108
1 No 7 Bass Rod No 209
2 Bamboo Fly Rods 10 1/2 ft long (No 204& 205)
1 No 7 Bass Rod reg (No 210)
2 No 7 Tips one short one long Taken from ? rod
2 Bamboo Fly rods (reg)Nos 211 & 212
1 Cheney Rod (No 224)
1 Rod for repairs. 1 new 2 nd joint made
1 Rod for repairs New ferrule on Butt (Charges 50c paid)
1 No 7 Short tip (marked B)
1 Cheney Rod Reel Back Rings (No 216)
1 No 9 Bamboo Fly Rod (No 220)
1 No 9 Bamboo fly Rod cork sheet and (Marked C)
1 No 9 Bamboo Fly Rod
1 Cheney Bass Rod reel above Rings (No 223)
1 Cheney Rod Pat Reel Seat (No 222)
1 No 9 Bamboo Rod to be finished by July 20 th (No 225)
1 No 7 Rod Pat Reel Seat Make Extra Nice. Spring will back (No 228)
1 New Butt Old trimming charges \$1.50 Paid

	1 No 1 Rod for repairs 1 Bait tip made hand winding varnished (No 76)
	1 Bass Rod for repairs. Wants new 2 nd Join & short - tip (No 201)
	(immediaty hang about right?) 1 No 11 Rod. (No234)
	1 No 7 Rod for repairs 1 short tip made 2=3 long (No 23)
	1 No 8 Rod for repairs 1 New Butt (No 76)
	1 Rod for repairs 1 new butt ferrules on small end of 2 nd joint Marked H
	1 tip & 2 nd joint for repairs Ferruls reste on tips & 2 nd joint
	1 Rod for repairs 1 2 nd joint 1 tip ferrule on old tips (No 92)
	1 No 7 Rod for repairs 1 short tip wanted New ferrule onlarge end of 2 nd joint (No 120)
	1 Cheney Rod Reg (No 242)
	1 Bamboo Tip to No 13 Rod full lenght & one Short (No 21)
	1 tip to Cheney Rod (marked anc)
	1 Cheney Bass Rod Reel Back Rings
	1 Cheney Rod Made of Bois D'arc. (Marked H)
	1 Cheney Rod 1 tip 14in short reel above, rings (No 53)
	2 tips to No 8 Rod whipped
	1 Bamboo Rod for repairs Ferrule reset on tip
	1 No 1 Rod for repairs new ferrule on Butt (No 598)
	1 Bois D arc Rod Cheney Model
	1 Bamboo Bass Rod for repair 2 new tips made
	1 Henshall Bamboo Bass Rod Not Pat Reel Seat
	1 No 7 Rod Reel back. Guides (No 73)
	1 No 1 Rod for repair ferrules reset on tip 1 new tip made (Marked W)
	1 Rod for repairs 2 new 4 ft tips and ferrules rest on old tips (Marked K)
1884	1 No 8 Rod for repairs 1 new 2 nd joint and tip made new ferrule on small end of old 2 nd joint (No 213)
	1 Trunk Rod for repairs 2 new tips & 1. 2 nd joint made 25in long 1 set small ferrules (Marked D)
	2 Bamboo Fly Rods and 1 No 1 Lancewood for repairs also 1 bait rod ash. Made new butt to lancewood rod put few rings on and varnished others (Marked R)
	1 Fly Rod for repairs paid out expenses .40C special ? ?
	2 Bamboo Rods for repair two new 2 nd joints one for each rod Express paid out \$1.15 Nos 102 & 156
	1 No 10 Rod for repairs Short tip 260 one 2 nd joint (No 119)
	Rod for repairs new tip made re wound & varnished Paid \$1.50
	1 No 8 Rod with one Extra bait tip (No 132)
	1 Cheney Bass Rod (No 50)
	1 Bait tip to No 9 Rod
	1 Butt to No 7 rod (Marked B)
	1 No 1 Rod for repairs one new 2 nd joint & tip new hand winding (No 5)

1 No 1 Rod for repairs No 103
1 No 13 Bamboo Rod 9 ft rings, reel back of hand 2 long tips 1 short
1 11ft Hornbeam Rod fly Rod patent reel seat "Not too fine and light one that will stand the racket" (No 100)
1 No 8 Rod for repairs New 2 nd joint & 2 tips not whipped (marked M)
2 tips for Cheney Bass Rod one Lancewood one Bois d'arc (Marked anc)
1 rod for repairs one Butt and one Tip made One short tip for bait rod Paid \$3.75
"Send by Express" 3 Rods for repairs
2 Rods for repairs 1 Cheney Bass & 1 need handwinding 1 No 7 Bass (Ferrule reset on tip Paid out Ex 40c No Boxes
1 Rod for repairs Butt Cut off and new tip made (Marked Cr)
1 No 1 Rod for repairs 2 new tips 2 nd joint rewound hand winding on butt (No 534)
1 Trolling rod for repairs move reel at least 5 inches higher on Butt 18 inches from end of Butt to Reel Made New Butt Orders lef by Col Cohoun ? With Box
1 No 1 Rod for repairs (Paste board box) Made new butt rewound 2 nd joint and 1 tip (Marked U)
2 No 7 Rod tips for repairs "Will you please make the two new ones and repair the old ones"
1 Cheney Rod (No 108)
1 no1 Rod for repairs new ferrule on butt Box
1 No 3 Bait Rod for repairs Made new tip reset ferrule on old one (Marked W)
1 Fly Rod for repairs new Butt 2 nd whipped (Marked Swift)
No 7 Rod for repairs 2 new tips one bamboo 1 lancewood
1 Bamboo tip 18 in long (Marked V)
1 No 7 Rod all Lancewood with reel back of hand Pat reel seat & rings (No 210)
Rod for repairs. Made 3 new bamboo tips
Rod for repair No Box or Sack "Make New Butt as good as rod will warrant"
1 10 1/2 ft bait Rod short butt all Lancewood reel back, rings (Marked A)
1 9ft bamboo bass rod Guides Reel above hand (Marked G)
1 tip Lancewood 3-3 long (Marked T)
1 No 8 Rod for repairs 1 new 2 nd joint & tip new ferrules on all the joints (Box & Sack)
2 Rods for repair 1 Bamboo tip \$2.50 1 Rod varnished & wound .50c (paid \$3. to PJO)?
1 No 8 2 nd joint (No 215)
1 Bamboo Butt (No 220)
1 Greenheart Rod 10 ft Long Short Butt
1 Bamboo Bass Rod for repairs New 2 nd joint
1 No 11 Rod rather limber (No 53)
2 No 11 Rods Limber
1 Cheney Bass Rod

1 9ft Bamboo Rod Reel back rings (No 55)
1 No 8 Rod quite limber (No 51)
1 Rod for repairs 1 New tip (No 2)
1 No 8 Rod for repairs 1 New Tip short (No 79)
1 Bait Rod for repair 2 new tips & ferrule on small end of 2 nd joint (Marked H.)
1 Bamboo Bass Rod No 7 9ft 1 short tip Reel Back rings (No 80)
1 Bait Rod for repairs ferrule rest on butt and one tip
1 Henshall Bass Rod Bamboo (No 83)
4 Lancewood tips 2 - 4-4 long 2 3-9 long
1 No 8 Rod for repairs 1 new 2 nd joint express charges Paid \$1 (no 104)
1 Henshall Lancewood rod for repair two new tips
1 Henshall Bamboo Bass rod not patent Reel seat (No 94)
2 Rods for repairs 1 Cheney 1 Bamboo hand winding on "Cheney". GS tips on Bamboo
1 No 7 Rod for repairs 1 new tip ferrule reset on old tip
1 Bamboo Bass Rod 9 ft Guides Reel Back (No 100)
1 Rod for repairs new 2 nd joint and 2 tips old tip rewound (No 10)
1 Bamboo Rod for repairs new 2 nd joint (No 63)
1 Bamboo rod for repairs 2 new tips (No 160)
2 9ft fly rods short butts of Sumac Lancewood 3 tips each. light ferrules made of tubing sent by A.N. Cheney
3 Rods for repairs 1 No 1 2 No 10 2 new tips for each rod
1 Cheney Rod for repair one 2 nd joint & 2 tips of lancewood (Marked F)
1 Bait rod for repairs 2 new tips wanted one shorter G.S. tip on old tip & 3 guides (Marked X_)
2 Rods ???? 1 No 10 1 No 1 1 new butt on No 1 1 G S tip on no 10
1885 1 No 8 Rod for repair 1 2 nd joint
1 rod for repair whipped joints 6 new joint made, and old one repaired groved case covered with velveteen.
1 No 1 Rod for repairs New ferrules on 3 old tips 1 new 2 nd joint, handwinding No 81
1 No 10 Rod 1 Bait Rod 11ft all Lancewood guides
1 12 ft Fly Rod. Lancewood (No 184)
2 No 9 Rods for repairs two new tips for each rod (Nos 706 & 212)
1 Rod for repair New Tip (Marked C)
1 10 1/2 ft Bamboo Fly Rod (No 187)
1 9ft Bamboo Rod Reel back (No 188)
1 9ft Bamboo Bass Rod for repairs ferrules reset (No 135)
1 No 2 Rod for repairs ferrules reset (No 84)
1 No 11 Rod for repairs New 2 nd joint and ferrule on old joint (No 269)
1 10ft Bamboo Fly Rod stiff (No 195)
1 Rod for repair paid to A.C.O. .75c

1 2 nd Joint to Henshall Bass Rod Bamboo
1 No 11 Tip spliced and one new Bamboo Tip (Marked O)
1 Henshall Bamboo (No 207)
1 Bait rod for repairs 2 nd joint and butt worked down and wound ferrule reset on butt new ferrule on tip (charge .75c Paid to RJO)
1 10ft Bamboo Fly Rod same as last (No 208)
1 Leonard Bamboo Fly Rod for repairs ferrule rest on 2 nd joint and butt ferrule repaired
1 Rod for repairs (marked M)
1 Rod for repairs 2 new tips and ferrule on small end of 2 nd joint (No 8)
1 No 12 Rod reel back and rings
1 No 12 Rod Butt wants Reel fitted "Meeks" Reel
1 No 1 Rod for repairs New tip (No 201)
1 No 9 Bamboo Fly for repairs Butt & 2 nd joint glued No 204 one tip 214
1 #13 Rod (No 210)
1 1 Henshall 7 1/2 ft (No 212)
2 tips for Bilings for No 8 Rod (Marked B)
1 No 8 Rod for repairs New Butt and ferrule reset on one tip
1 No 1 Rod for repairs new 2 nd joint (Marked X)
1 Bait Rod for repairs 1 new tip (Marked S)
1 Rod for repair make new butt and one long tip make butt style No 11 when finished send to Seville Fla (Marked L)
2 Rod for repairs 1 light fly & 1 No 8 1 new 2 nd joint
1 Henshall Bamboo for repairs New 2 nd joint and ferrule reset on old joint (No 212)
1 No 1 Rod for repairs 1 New Butt ash old trimming No 104
1 Bamboo Fly for repairs New Butt & 2 nd joint old tip repaired No 63
2 No 7 Rods for repairs 2 new 2 nd joints & 4 tips
Wants 2 new lancewood tips for Henshall Bass rod and 2 old ones repaired. one cane tip 1 Bamboo bait tip for fly rod Marked (two W & two C) Cane tip (C) Bamboo (C)
1 No 8 Rod with Short Sumac Butt and 1 Bamboo tip (No 219)
3 Henshall Bamboo Bass Rods 8-6 long 3 ring tips Nos 220, 221 & 222
2 Bamboo No 9 tips (No 207)
1 Rod for repairs new 2 nd joint and 2 tips butt repaired (Marked P1)
1 No 8 Rod
1 light trolling Rod like one sent Mr Fuller 10 ft reel above Guides All Lancewood Ferrules 13/32 butt, our bamboo butt ferrule for tip No 240
1 No 8 Rod with short butt of Sumac No Bamboo tip All lancewood, butt not reversible but detachable, Same style as 219 (No 231)
1886 1 No 9 Bamboo Fly for repairs 1 new tip made No 186
1 Bamboo Rod for repairs two new tips old tip cut down for bait (No 190)
1 Bamboo Fly for repairs 2 new tip old tip cut down for bait

1 Bait Rod for friend. 11 ft all Lancewood reel back guides reel 1 inch higher than usual No 230

1 Light trolling rod like Mr Lalleys except the butt must be of Ash and have hand piece not wound length 10 ft No 264

1 Cheney Rod new tip & 2nd joint No 203

1 Henshall Bass Rod Bamboo 1 New tip No 131

1 Ash Butt for repairs new 2nd joint & 2 tips No 265 paid out 10c

1 Bamboo fly rod for repairs 2 new tips Marked C

1 Large Cheney No 268

1 No 1 Rod for repairs make the lengths 2 inches shorter and add a new tip No 81

1 No 2 Rod for repairs 1 new tip & ring on 2nd joint

1 No 9 2nd joint (Marked B)

2 Rods for repairs 1 no 9 1 no 1 Bamboo 111 no1 119

Missoula Mont. 2 #9 tips (No 50-)

1 No 10 Rod 3 tips No 275

1 No 10 Rod hand piece to be left plump No 272

2 11ft bait Rods

1 Bamboo rod for repairs 2 bait tip lancewood Marked (B)

1 10ft Lancewood rod for repairs. New 2nd joint & tip Marked (M)

1 No 1 Rod for repairs new hand winding tip spliced & C 1 Round Case 1 Square Case 1 sack .50 for repair, 1.00 for round case .25 for square case, .25 for sack 2.00 total paid

1 Rod for repairs 1 tip varnish rod Paid \$1.75

Rods for repairs New ferrule on Bamboo tip 1 new Hornbeam 2nd joint

1 Rod for repairs New tip. hand winding on butt rod all rewound Marked T

3 No 9 tips (No 20)

1 9ft Henshall Bamboo guides Reel back No 277

1 Fly Rod for repairs Make Two 2nd joints and three tips partly of Hornbeam & Part of bamboo 2nd joints Hornbeam heart

1 Fly Rod for repairs 2 New tips butt rewound Marked (B)

2 No 1 tips Marked (C)

1 Bamboo Fly Rod 10ft for repairs ferrule on larger end of 2nd joint one ring tip

1 No 1 Rod for repairs ferrule reset on tip varnished

1 9 ft fly rod Sumac butt Lancewood same as page 39 No 288

1 9ft fly rod Sumac butt same as 288 No 289

1 9ft Bamboo Bass Rod reel back 3 1/2 inches from end of butt to lower end of reel seat Pat reel seat to fit No3 Meeks reel No 293

1 No 12 1/2 for repairs 2 new tips No 101

1 4 jointed bait rod for repairs 2 tips & 3rd joint made Bamboo (Marked C)

1 fly rod for repairs 1 new tip (Marked E)

1 Henshall Lancewood for repairs 1 2nd joint ferrule reset on old 2nd joint

1 No 1 Rod for repairs 2 bait tip (No 301)

	2 Bamboo tips
	1 Bass Rod 8-6 Ash butt Lancewood 2 nd joint & tips larger ferrules No 294
	2 Bass Rods for repairs 1 No 7 1 no 12 1/2 No 7 had 2 new tip and new ferrule on 2 nd joint and tip No 12 had 2 new tips & 1 2 nd joint No 52, 271
	2 Rods for repairs 1 No1 1 Greenheart No1 had new handwinding. No 31 Greenheart had 2 nd joint & 2 tips No 2
	1 No 11 for repairs new 2 nd joint ferrule reset on old joint No 168
1887	1 Bamboo rod for repairs 1 new 2 nd joint Marked B
	1 4 jointed lancewood rod joints not to be over 32 1/2 inches ferrule and all. Made with Sumac butt bamboo ferrule on butt and No 9 1/2 ferrules on other joints No 22
	3 rods for repairs 1 No 8. 1 No 9. 1 Bamboo. No 8 rod had 1 2 nd join. 1 long tip . 1 short tip No 9 rod 2 nd joint & tip rewound. ferrules on on tip . Bamboo varnished
	2 Bamboo Fly Rods for repairs One 2 nd joint and 2 tips rewound and varnished ferrules reset
	1 Henshall Bass Rod Bamboo reel seat changed to back of hand. ferrule reset on tip Box Sack No 216
	2 11ft bait Rods All lancewood reel back Guides Nos 25&26
	1 Bamboo No 9 rod wants net tip No 163
	1 No 9 Bamboo rod for repairs 1 tip 7in short No 62
	1 No 1 Rod. guides wants 2 new tips handwinding No 105
	2 tips for Bass rod no121/2 make 6 in shorter then other joints Guides Marked B
	1 No 13 Henshall Bamboo Bass Rod 8-3 reel above Guides No 28
	1 No 1 Rod for repairs wants 1 new tip spliced old one Marked (W)
	1 No 8 Rod Guides No 34
	1 No 9 rod for repair
	2 rods for repairs light rod had Two 2 nd joints of hornbeam & 2 tips half hornbeam half bamboo. No 1 new ferrules heavy rod. Two 2 nd joints of hornbeam all new ferrules Marked X
	1 No 10 rod "put in thorough repair and make 2 tips" ferrules rest GS reing tip on old tip
	1 Bait rod for repairs new tip old tip spliced No X Paid \$1.15 pd to CFO
	1 No 7 Bass rod for repairs one 2 nd joint ferrule and tip No 31
	Make 2 tips for a No 9 rod bought June 23/85 Marked C
	1 No 1 rod for repairs 2 tips one 2 nd joint stop ring on butt handwinding No 101
	1 Bait rod for repairs one new tip brass tip on end of old tip screw butt cap Marked B Paid RJO \$1.25
	2 rods for repairs light rod 1 tip handwinding. No 20 heavier rod ferrules reset on tips handwinding No 15
	1 No 1 rod for repairs one tip Marked LC
	1 No 9 10 ft bamboo No 43
	1 No 11 rod for repairs 2 new tips ferrules on old tips No 6 sack & Box
	1 Henshall bamboo Bass 8-3 for repairs. one 2 nd joint No 94
	One 2 nd joint Henshall bass rod 8-3 No 291

	1 No 9 Bamboo tip Marked (C)
	1 Fly rod for repairs 1 tip lancewood ferrule on old tip Marked X
	1 Fly rod for repairs new tip wind and varnish Paid \$1.50 RSO July 16 th 87 Marked B
	1 Rod for repairs make tip and 2 nd joint of lancewood not best (charge \$1.75) (Marked C)
	1 No 9 rod for repairs one 2 nd joint Marked LC
	1 2 nd joint for 4 jointed rod No 38 (no38)
	1 Trolling rod
	Cleaning reels repairing rods FC \$3
	1 Butt for Henshall Bamboo 8-3 No 40
1888	1 No 9 rod for repairs one new 2 nd joint pat reel seat (No 100) sack & case
	1 rods for repairs 1 no 9 1 no 11 one new tip for no 9 rod old tip cut down No 11 varnished Bamboo no 205 lancewood 161 2 sacks & cases
	3 rods for repairs Two lancewood one bamboo. ferrules reset on nos 10 12 14
	1 Murphy Bamboo fly rod for repairs new ferrule on butt tip spliced Grooved case sack & box
	1 Lancewood rod 16 1/2 ft with out ferrules (spliced) weight 10 to 12 oz stained no 93 1 similar rod for friend only with ferrules no 94 1 9 ft fly rod no95
	1 Bamboo rod for repairs new ferrule on Butt and 2 nd joint Marked M
	1 Bamboo rod for repairs one new 2 nd joint scrape and rewind butt & 1 tips 1 GS tip (marked S)
	1 Bamboo Bass Fly Rod guides reel back. 16 in black walnut butt pat reel seat No 96
	1 Henshall Bamboo Bass rod for repair tip cut down 3 ring tip put on in place of old ones No 91
	1 Lancewood bass rod for repairs new butt old trimmings. Rod cut dow to 8-3 new Guides in place of rings Three 3 ring tips No 210
	1 Henshall Lancewood Ash butt 9ft for repairs one new butt & two tips No 228
	1 9 ft Lancewood fly rod see page 39 Crok handle no 9 1/2 ferrules No 115
	1 No 1 Rod for repairs one new 2 nd joint. two new tips old 2 nd joint spliced No 5
	1 Cheney rod for repairs 1 new tip
	2 No 9 tips Marked X
	Henshall bamboo for reapiers ferrule ?
	1 no 20 rod for repairs make 3 tips 1 2 nd joint
	2 rods for repairs one no 9 one lancewood 2 tips & 2 nd joint for no 9. one short tip for lancewood & ferrule on 2 nd joint Lance no 119 Bamboo marked D
	one Henshall Lancewood 8-3 for repairs. One new tip new ferrule on old tip No 175
	1 Hornbeam Rod 10-6 long stained, Black walnut grip No 121
	1 Lanc 2 nd joint 3-8
	1 Henshall bamboo tip Guides No 227
	1 Cheney rod for repairs 2 tips 30 in long. Ferrules reset on other joints Marked M
	1 Bait rod for repairs 1 tip ferrules rest on old joints Handwinding Marked P
	2 rods for repairs. one no 10 one no 7 one short bamboo tip for no 10 ferrules on old tips ferrules on tips to no 7 rod No 10 no 100. No 7 rod no 53 Sacks no Box

	1 No 1 rod for repairs one new tip. Handwinding. G.S. tip one old tip 4 guides rings No 28
	1 No 1 rod for repairs 2 ferrules on tips 2 ring tips GS. Handwinding No 8
	1 10 ft Split bamboo reel seat above hand Guides to weigh 9 ozs. No 124
	1 8-3 Bamboo Bass like no 124 same ferrules No 128
	1 Bass Rod Ash Butt Lancewood 2 nd joint & tips 7-6 long plump stiff back 129
	1 No 8 Rod (No 133) 1 No 7 Rod (No 203) 1 Cheney Rod (no 222) for repairs. Ferrules rest on Cheney rod Ring tip on No 7 No 8 nothing
	1 Salmon rod for repairs Ferrule reset with cap on 2 nd joint
	1 8-3 Henshall Bamboo tip for repair Make 1 new tip. Guides No 61
	1 Lancewood 9ft Bass tip. Guides No 274
	1 No 9 1/2 Cork grip
	1 Brass ferrule No 1 for repairs new tip no 225
	1 9 1/2 10ft Rod Sumac butt 14 inches to centre of reel seat from end of butt No 138
	1 no 1 Rod for repairs 2 new tips No 103
	1 Bamboo tip 30 inches Marked C
	6 Rods for repairs Cork grip No 62
	Lancewood Bass rod
	1 10 ft bamboo fly rod for repairs one new tip Marked B
	1 Rod for repairs 1 lancewood tip Charge \$1.50
	1 Bamboo rod for repairs 2 bamboo tips 3-8 Marked L
	One Bamboo tip to rod 123 to supply one taken to fill order 123
	One Bamboo 2 nd joint & 2 tips for rod 118 taken to fill order 118
	1 Henshall Bamboo bass rod for repairs 1 new butt No 111
	2 Lancewood tip 45 in long Marked B
	1 No 11 Rrod whipped No 145
	2 bamboo tips for rod no 119 to supply tips taken to fill order No 119
	1 short butt No 28
	1 Bait rod for repairs 1 tip lancewood Marked T \$1.00
	3 rods for repairs 1 Bait rod marked P 1 No 7 Guides no 97 1 no 7 Rings (no 250) Bait rod had 2 nd joint & tip lancewood No 7 guides had two tips Lancewood No 7 Rings had two tips lancewood and new ferrules on 2 nd joint Leather Case
	1 No 9 Rod for repairs 2 new tips No 122
	1 No 9 Rod for repairs 1 new 2 joint & 1 new tip No 160
	1 No 9 Rod for repairs make one new tip and repair butt an old tip. Made one new tip old tip cut down. handpiece drilled out and screw butt put in No 31
	1 No 9 rod for repairs one new tip old tip cut down for bait tip No 114
1889	2 Rods for repair one Greenheart tow tips new. ferrules on old tips new ring tips on old tips one Lancewood No 31 One new tip ring tips on old tip
	one No 10 rod. Sumac Butt No 162
	1 Bamboo Rod for repairs on ring varnish ferrules reset.

one 11 1/2 ft bass fly Rod for repairs No 93 see page 62 One new 2nd joint stiffer than old one. reel seat changed to slide ring One 9ft lancewood fly rod one 2nd joint 3 tips No 95

Three new rods 9ft Fly One sumac butt one Black W. one cork. Nos 159, 160, 161

1 no 9 rod for repairs 2 new tips ferrules reset No 192

1 No rod for repairs one new tip ferrules rest No 306

1 20 oz Cheney Bass Rod german Silver ferrules & rings slidiing ring reel seat Reel above hand guides No 167

1 #9 Cut down to 10 ft Sumac Butt No 186

1 #13 Henshall 3 tips. Cork butt. Sold Metal Reel seat

#9 Rod cut dow to 10ft cork handle No 193

1 No 13 1/2 Rod for repairs one new 2nd joint and one new tip No 22

1 No 9 Rod for repairs one new butt cork handle No 1

1 Trolling rod for repairs one new trolling rod of bamboo cane

1 Bamboo rod for repairs ferrules reset, varnish

2 Rods for repair one Bamboo (No11) One Lancewood No8 (No 76) Bamboo had new 2nd joint and one ring tip ferrules reset. Lancewood had new handwinding ferrule on old tip & one ring tip ferrules reset

1 No 1 Rod. Ash butt. for repairs. One new tip. ferrule on old tip one ring tip Handwinding. ferrules reset No 208

1 Lancewood rod for repairs ferrules reset. handwinding

3 Rods for repairs No 1. new tip ferrule reset No 8 ferrules reset Bait rod ferrules reset

1 # 5 Rod Sumac butt No 212

2 # 9 rods cut down to 10ft Cork butts Nos 213 & 214

1 No 1 Rod Spruce and Cedart butt for repairs One new 2nd joint ferrule on tip

1 Henshall Rod Lancewood in 2 pieces. (Joints 4-3 over all) agate guide next to reel and agate screw off tips rod whipped. (No 221)

1 No 9 cut down to 10ft Cork butt. Guides Reel below hand No 215

1 No 7 Ash Butt No 118

1 No 9 1/2 for repairs. Cork butt 2 new tips. one old tip spliced one new ring tip.

1 No 1 Rod for repairs 2 new tips one short No 98

1 Bass rod for repairs one new rod tips 5-3 long 1 split bamboo 1 plain. Butt about 14 in

1 Bamboo Rod for repairs "Make 1 new 2nd joint. cut off dowels. put on guides. rewind. cut dow Case to fit length of rod" Marked B

1 No 8 Rod No 226

1 no 1 Rod for repairs ferrules reset new ferrule on small end of 2nd joint 2 ring tips

1 Bait rod for repairs. 4 joints one new 3rd joint one ring tip

1 Henshall bass rod. Ash butt lancewood 2nd joint & tips 7-9 long no 229

1 No 9 cut down to 10 ft with Cork handle No 231

1 No 11 Rod for repairs make 2 new tips. No 53

1 Bamboo Rod for repairs make 1 bamboo & one lancewood tip Marked R

1 No 10 Rod. heavy as possible bass rod ferrule on small end of 2nd joint Cork butt no 230

	1 Bamboo rod for repairs Cork handle on butt
	1 no 9 1/2 for repairs. new butt sumac, detachable & reversible
	2 Bass tips for 9ft bass Rod rings
	1 Lancewood rod for repair 1 new tip. Rod scraped and rewound varnished & C
	1 No 8 11ft long guides. Reel back. B.W Grip. short tip whipped (No 245)
	1 Bass rod Ash butt 22 1/4in long ferrule and all. No 1 ferrule with tapering cap 1/2 inch in diameter at larger end. Rod 7-3 long No 246 (drawing of butt 11in and then 11 in taper to ferrule) ferrule 4 in cap & all
	3 No 9 1/2 cut down to 9 feet cork butts No's 264 265 266
	1 9ft Bamboo Rod Bass Guides reel before hand one tip 12 inches shorter No 267
	1 9ft Lancewood, same as above
	4 No 13 Tips replaced small size
	1 No 13 Rod Sumac Butt agate guides & Tips no 263
	1 No 13 Rod for repairs one new tip. 2 nd joint and old tip wound No 21
1890	
	1 9ft Lancewood fly rod for repairs 2 new tips one 27 in long. one ring tip on old tip No 289
	1 16ft salmon rod 4 jointed 3 tips. two 3d joints
	1 Bamboo Bass rod for repairs new butt rod scraped and rewound
	3 Rods for repairs 1 No 9 Bamboo no 63 1 Cheney bass No 227 1 old lancewood , marked J old rod scraped & rewound Cheney one tip ferrules reset new butt cap.
	5 Rods for repairs. 4 Bamboo & 1 Lancewood 1 Bamboo Conroy B& M - 1 C.E. Wheeler 2 unknown
	1 Henshall bass Rod No 293 same as 221 see page 75 length of joints 4-3 overall. diameter of butt joint at handle 7/16. use bass rod ferrule diameter 6/16 diameter of tips at small end 1/8. six guides on tips two on butt one 6 inches from ferrule one 17in from butt
	No 8 heavy not over 10oz. Sumac butt reel above hand. guides 3 ring tips. no1 ferrule on butt. small bass rod ferrule on 2 nd joint. <u>Solid metal reel seat</u> No 300
	No 8 guids, 3 ring tips sumac butt no296
	Bamboo rod for repairs Ree seat to be changed to above hand. cut rod down to 9 feet scrape and rewind
	1 Bamboo rod for repairs . New butt scraped and rewound
	2 Rods for repairs One Bamboo One Greenheart One new tip for each rod and rods otherwise repaired where needed
	1 No 9 Rod for repairs "Make 2 new tips and fit the ferrules so they will not fit so tight"
	1 Bamboo butt to Bass Rod for repairs repaired
	1 Rod for repairs. new tip rod rewound
	1 no 9 rod for repairs one new tip. (No 116)
	2 Rods for repair Bamboo rod 1 new tip repair other rod Bamboo maked E Lancewood no 15
	3 Rods for repairs No3 Ferrules reset No1 Ferrules reset & repaired new reel rings no2 Ferrules reset Rod rewound
	1 No 9 Rod for repairs ferrules reset No 74
	1 Bamboo Bass Rod for repairs New Butt 2 nd joint repaired
	1 No 1Rod for repairs new ferrule on 2 nd joint ferrules on two tips two new tips No 81
	1 No 9 Bamboo make 2 new tips No 15

3 Rods for repairs one Bamboo Bass one Bamboo Fly one no 8 Fly rod 1 tip ferrule reset Butt glued Bass rod tip repaired. No 8 new ferrule on 2nd joint

2 Bamboo rod for repairs Abbie & Imbrie tip case repaired old rod ferrule reset 2 ferrules on 2nd joints new reel rings 2 ring tip.

1 Bamboo no 9 for repairs scraped and rewound with guides new 2nd joint No 63

1 Trolling Rod Bamboo Cane like one on Page 73

1 No 17 rod for repairs 1 new 2nd joint & 2 tips (No 159)

1 No 7 rod for repairs Ash butt 8-3 one new 2nd joint 2 tips (Marked M)

1 Bamboo Bass tip for repairs tip spliced

1 No 9 1/2 Rod for repairs one new butt repair tips & Cork grip one new tip No 132 new butt no 248

1 Bamboo fly rod for repairs New Butt Cork Grip. 2nd joint & Tips scraped and wound Marked (F)

1 Lancewood rod for repairs

1 No 13 Rod tip 22 inches long (marked B)

1 Lancewood fly rod for repairs One new tip. rod rewound No 2

2 Rods for repair

2 Rods for repairs one cheney. one No 9 no 9 2 new tips Cheney 2nd joint & Butt rewound

1 10 1/2 ft fly rod of Greenheart spliced joints without ferrules two 2nd joints three tips

One Lancewood tip 43 inches long Marked W

1 No 17 Rod for repairs. (Sumac butt) one new 2nd joint. old 2nd joint two new ferrules No 289

3 Rods for repairs 1 Bamboo One no 11 Hornbeam butt. one no 7 rings ash butt. ferrules reset on Bamboo & no 11. new 2nd joint to no 7 no 203

1 8-3 Henshall Bamboo light . for repairs one new tip ferrule reset one old tip No 61

1 No 13 Rod for repairs (no 21) make one new 2nd joint repair old 2nd joints One ring tip on old Bamboo tip No 21

1 No 13 Rod for repairs make one new 2nd joint repair old 2nd joint (No 217)

1 No 8 Rod for repairs make new 2nd joint. repair old 2nd joint put rod in good order No 269

1 No 10 Rod with Sumac butt reel back Guides. "As strong all through as it will do and cast bass flies" No 310

1 Cheney Bass Rod for repairs 1 new 2nd joint.

1 Bass Rod for repairs cut down to 8-6 1 no 8 rod varnished

1891

1 No 8 for repairs make new 2nd joint 9 in shorter and one tip 3 in shorter use same size ferrules

1 12 ft lancewood rod 4 joints 3 tips two Bamboo one Lance) 2. 3rd joints reel above hand guides. Metal reel seat Sumac butt

G.S. Cheney Butt outside 2nd joint No 13. rod 3rd joint No 13 rod

4 Rods for repairs 2 no 9. 1 no 11 1 no 10 one ? had tip spliced no 10 rod had 2nd joint and 2 tips No 10 rod no 211

1 Abbey & Imbrie Bamboo for repairs. ferrules rest and one tip glued
1 No 9 for repairs . ond hand grip take off & new sumac. new slide rings for reel No 21
3 short butts to fit his rods Work 16 hours
1 No 9 cut down to 10 ft for repairs 2 new tips ferrules reset No 43 butt 39
1 Lancewood bass rod 9 ft long No 372
1 Lancewood Rod for repairs new 2 nd joint and 2 tips to make rod 9 1/2 ft long. New 2 nd joint and 2 tips to make rod 7 1/2 ft long. Butt rewound ferrule an old 2 nd joint No 50 8 hours
"Chubb" Lancewood rod for repairs 2 new tips Rod scraped and wound Marked 91 3 hours
1 No 8 Rod . BW. butt Extra 2 nd joint & Tip to make rod 7 1/2 ft long. Extra 2 nd joint 2ft - 0 1/2 long tip length of 2 nd joints & ferrule No 373
3 Bamboo Rods. (Syracuse Fish Rod Co) for repairs. New ferrules on all the rods. Thre 3 ring tips. 11 hours
2 No 9 rod for repairs. 3 new tips. one butt & 2 nd joint scraped and rewound ferrules reset. 6 hours Marked (C)
1 No 9 Rod Cut down to 10 1/2 ft Cork butt Marked (H)
1 No 9 Rod for repairs fFerrules rest one tip spliced. one cut down and new ring tip one new tip one hour No 165
1 12 ft rod for repairs one new butt ash 1 Bait tip ferrules reset Marked S 3 hours
one tip spliced and one new tip for No 8 Rod made for Casgrove see page 81 No 300 1 1/2 hours
1 Trolling rod Bamboo two joints. G.S. Cheney ferrule BW butt metal reel sat
No 1 Rod for repairs ferrule on old tip all ferrules reset 2 hours
Bamboo rod for repairs. Butt glued and new hand winding. ferrules rest Marked S 3 hours
1 No 13 Bamboo for repairs one new tip ferrule reset. Splice winding on tip No 91 3 hours
1 No 9 1/2 Rod for repairs. one new 2 nd joint & Tip. old tip spliced 2 ring tips. No 100
1 No 1 Ash butt rod for repairs One new tip ferrules reset Marked S 2 hours
1 Bamboo rod for repairs 2 new tips. ferrules rest. Rod scraped and rewound Marked R
1 No 9 (2 nd qual) Bamboo for repairs ferrule reset & C Paid \$1.00 to CFO
3 Bamboo rods for repairs One no 9 One Leonard Repaired One no name no new joints, all work. 2 tip cases 3 hours
1 No 1 Rod (Ash butt) for repairs One new tip. ferrule rest on 2 nd joint. new hand winding (No 61) \$1.50
1 Bamboo rod for repairs one new 2 nd joint. 2 nd grade 1 set brass nickle plated ferrules Marked A
1 No 16 Rod, Cork butt Extra 2 nd joint and tip No 380
One Bait rod for repairs New 2 nd joint lancewood ferrule reset on tip one bamboo rod. ferrules rest 4 hours
Lancewood Rod for repairs one new tip ferrules reset Rod scraped and rewound one ring tip Marked R 2 hours
1 No 3 Rod 2 fly tips and Extra 2 nd joint No 284
1 No 12 1/2 Rod. Reel back rings. B.W. Butt No 1 ferrule on butt. No 13 on 2 nd joint No 385
1 No 16 Rod for repairs new butt Cork No 262

1 Lancewood tip 3-8 long guides
ferrule rest on bamboo 2 nd joint. New lancewood 2 nd joint for 10 1/2 ft rod
1 No 10 Rod repaired one short lancewood tip Marked B
1 No 9 Rod for repairs
2 Rods for repairs one No 9 ferrules rest ring tip one No 9 1/2 tip spliced 2 hours 9 1/2 no104 # 9 no 93
1 Large bamboo bass rod reel above Guides 9ft long Same as one on page 89
1 Rod for repairs one hornbeam tip Marked R
1 No 16 Rod 2 nd qual Cork Butt No 262
two Bamboo tips 3-01/2 long No 9 stock (Marked A)
1 Lancewood tip 3-8 long guides
1 No 11 "Hornbeam" but- for repairs. new 2 nd joint and tip
1 Bamboo tip 2-10 long. old tip spliced No 153
1 Bamboo tip no 9. Ferrules rest on 2 nd joint tip spliced No 14 2 hours
1 Cheney Rod tip Marked B
1 No 16 Rod for repairs Cork one tip No 256
1 No 13 Rod for repairs one new 2 nd jt old tip spliced
1 No 13 tip ferrule rest on old tip Marked H
2 Lancewood tips for 9ft rod two old tips spliced Marked Y
1 No 13 Rod for repairs. one new 2 nd joint old 2 nd joint repaired No 239
1 no 15 Rod B.W Butt
1 Bass Rod 6 1/2 ft long in 2 joints 2 tips Sumac butt. Sliding rings for reel. Reel back of hand Guides
1 No 13 Rod for repairs 2 new 2 nd joints No 199
1 Henshall Bass Rod Lancewood 2 nd joint. old no1 ferrules Marked H
1 No3 Rod 2 long tips
1 #9 1/2 Rods for repairs one new 2 nd joint old 2 nd joint spliced No 141
1 Larger Cheney bass Rod 11ft long. Lancewood. German Silver ferrules (drawings of ferrules Butt ferrule banded 9/16 5/8 outside & 6/16 2 nd joint 7/8 outside) B/W/ Bitt 18in long Reel above Slide ring
1892 1 Lancewood rod for repairs 2 new tips. ferrules reset on old tips. No 50
1 Bamboo Rod repaired 2 new tips ferrule on 2 nd joint
3 Rods for repairs 1 no 8 1 lancewood (no 283) wound with Gides 1 Bamboo Ferrules reset one new ferrule on tip 2 hours
3 Rods for repairs (1 No1. No 204) (1 No 12 Lancewood No 88) 1 Bamboo. new tip for No1. new tip for no12 ferrules rest. No 1 old tip spliced. 1 new tip for bamboo old tips glued 2 hours
1 No 8 rod of "Dagama" with extra 2 nd joint ad tip to make rod 8ft long Sumac Butt. 3 ring tips Marked (S)
1 no 9 rod made 10 1/2 ft long with slide ring reel seat Cork had piece. To be as perfect in every respect as can be made No 420
1 No 9 made 10 1/2 ft long with patent reel seat No 422

1 No 9 made 10 1/2 ft long with one extra 2 nd joint slick ring met seat 421
1 No 9 cut down to 10 ft for repairs 2 new tips old tips spliced
1 #9 1/2 Cork butt No 423
1 # 13 1/2 Bass rod reel back with rings. Corks butt No 424
1 No 9 Cork butt No 429
1 # 9 1/2 Rod Cork butt. 2. 2 nd joints and 3 Tips No 425
1 Bamboo Bass rod. reel above hand Solid Metal reel seat with extra heavy sliding ring. length 7 feet. rod to be in two (2) pieces of equal length one extra tip 5 guides on tip two guides on butt. B.W. Butt partition in female ferrule butt made of 2 joint to No 18 rod, tips made of no 18 Rod ferrule 9 1/2 butt (Marked S)
1 # 9 for repairs No 168 one new 2 nd joint. ferrules reset ferrules on old 2 nd joint 1 hour
1 No 9 1/2 rod for repairs one new 2 nd joint and one new tip old tip spliced ferrules reset
1 Bamboo Rod for repairs one new 2 nd joint. 2 nd qual ferrules reset.
1 No 9 Rod 10-3 long Cork butt with partition in ferrules to make them water proof No 439
1 Bamboo rRod for repairs one new tip. scraped and rewound Marked X
1 10 ft Lancewood rod Bass Fly. with No 13 ferrules Sumac butt No 446
1 No 12 Lancewood Bass 8-3 B.W. Butt No 447
1 No 8 wound butt No 448
1 No 18 Bamboo Bass rod
1 No 10 butt. BW grip had one new 2 nd joint & 2 tips No 311
1 No 9 1/2 2 nd qual Cork butt No 450 one tip 398
1 No 1 Rod Ash butt for repairs one new tip old tip spliced (tips whipped) No 208
1 Bamboo rod for repairs 2 new tips. (Marked H)
1 No 9 Rod 10ft long No 456 1 No 13 both 2 nd quality No 455
1 No 9 2 nd qual for repairs one new tip ferrules reset (Marked C) 2 hours
1 No 1 Ash butt for repairs 1 Bait rod. ferrules reset. No 1 Rod no 101 Bait rod marked W 3 hours
1 No 9 1/2 Rod for repairs 2 new tips. ferrules reset No 102 1/2 hour
Two rods 9ft long. Cork hand pieces. Round, to weigh as near to 4oz as possible. No 9 1/2 stock cut down to 9ft slide ring reel seat No 465 no 466
1 Greenheart rod for repairs one new tip lancewood, ferrules reset 1/2 hour
1 No 9 1/2 2 nd qual Cork butt same as #450 1 No 18 8 1/2 ft long.
1 No 11 Rod Sumac butt no 473
1 Bamboo fly Rod repairs one new tip and 2 nd joint 2 nd qual Marked W
1 No 13 1/2 Rod Sumac butt 8-10 long full metal reel seat reel above No 476
1 Bamboo tip 3-7 long Marked W
3 Rods for repair one Salmon Rod one Bamboo fly one Bait Lancewood one new tip. for Salmon Rod ferrules reset. One new tip for bamboo Two new tips for Bait Rod Marked R (2 hours on reel)
1 Bass Rod no 13 1/2 same as no 476. Reel below hand No 481

Bamboo fly rod 10 1/2 ft long from stock made by Ed Smith. full metal reel seat. butt wound with cane 5 hours

8 rods for repairs

1 A&I Bamboo fly No 1 one new tip 2 ring tips.

1 A&I Detachable butt Lancewood. varnish No 2

1 Acised ? Bamboo Bass ferrules fitted No 3

1 Lancewood Rod one new tip No 4

1 Lancewood fly one new tip No 5

1 Trunk Rod Guide on 2nd joint ferrules fitted No 6

1 Trunk Rod Guide on 2nd joint ferrules fitted No 7

1 Natural Bamboo Trolling rod rewind No 8

3 Rods for repairs 1 Bamboo Rod no 9 No 101 ferrules reset varnish.

Lancewood Rod old style Marked H one new tip 2 ring tips.

One Cheap Bamboo ferrule repaired and reset on butt Marked H some new windings

1 No 10 rod for repairs one Bamboo tip new Lancewood tip - new. New ferrules on old tips No 75

3 Rods for repairs 1 Cheney Bass 1 Nichols 3 joint Bass Bamboo 1 Nichols 2 joint Bass Bamboo one landing net 2 hours

1 Lady's Rod for repairs one new 2nd joint ferrule reset on old 2nd joint rewind No 3

1 No 8 Rod for repairs ferrules reset No 80

1 Bamboo fly Rod for repairs. Onenew tip. One set of ferrules One ring tip No 37

1 Bamboo Rod for repairs One new 2nd joint 2nd qual Marked W

1 Bamboo fly Rod for repairs One new 2nd joint ferrule reset on old joint (Marked R)

1 Bait Rod 4 jts for repairs one new tip, one set brass ferrules, ferrules reset, rod rewind.

1 Bamboo Rod for repairs one new tip. Marked R

1 No 9 cut down to 10-4 with detachable & reversable butt Sumac No 485

1 9ft Lancewood fly rod for repairs . Straightened and rewind

2 Bamboo Tips 1 no 9 1 bait tip No 91

1 Leonard Rod for repairs one new 2nd joint stiffer

1 No 9 for repairs 2 new tips. No 168

1 No 9 Cut down to 10 ft Cork butt solid metal reel seat (Marked W)

1 No 9 - 10ft. Sumac butt reversible & detachable. one extra Bass Tip No 501

1 No 9 10ft for repairs 2 new tips No 278

1 Bass Rod for repairs one new tip, ferrule reset-on old tip

2 No 9 tips. No 123

1 #9 1/2 Rod for repairs 2new tips old tip spliced

2 Bamboo tips for repairs ferrule reset on one and ring tip on one One new tip No 141

1 #9 2nd joint and short tip for repairs ferrules reset on 2nd joint ring tip on short tip. Two new tips 2nd qual

1 Bamboo for repairs Butt and 2nd joint scraped and rewind Marked R 2 hours

1 Bamboo fly rod with short butt. for repairs One new 2nd joint Marked B 1 hour

	4 Rods for repairs 3 ring tips. ferrules refitted 2 hours
	1 No 8 Rod Guides. for repairs two new tips. one new ferrule on old tip. one Reel band on butt. No 34
	1 No 1 Rod Ash butt. Guides Ferrules reset and fitted. new ferrules on small end of 2 nd joint one on tip No 105 4 hours
	1 No 9 1/2 for repairs 2 new tips. old tips splice No 459
	1 No 9 1/2 Cork 2 nd quality No 519x
	2 Lancewood Bait Rods with one short detachable B.W. butt. One rod 7ft long. one 8 1/2 ft long. Guides reel above
	Female ferrule in butt
	Ferrule on 7ft rod
	ferrule on 8 1/2 Rod which is our no 9 ferrule
1893	1 # 9 10 ft Cork butt No 520
	1 Lancewood Bass rod for repairs one new tip. ferrules reset Marked M
	1 Bamboo Bass Rod for repairs Butt glued ferrules reset Tip spliced
	2 No 8 Rods 10 1/2 ft long Black W. Butts Nos 522 , 523
	4 Rods for repairs ferrules reset on all rods handwindings repaired 4 hours
	1 # 18 Rod No 524
	2 No 17 Rods with 2 Shor tips 8 in Shorter Cork Butts Nos 525 & 526
	1 No 9 for repairs "Make 2 new tips. splice old tip put ring tip on the other" No 272
	1 No 9 Rod for repairs 2 new tips. one tip spliced ring tip on one. ferrules reset No 93
	1 Bamboo (Abbey & Imbrie make) Rubber hand grip rewound and cork put on. ferrules reset
	1 Bass Rod for repairs one new 2 nd joint bamboo
	1 Bass Rod in two (2) pieces 7 1/2 ft long. Cork butt detachable two tips No 528
	1 #9 cut down to 10ft Cork butt. Blue ferrules No 527
	1 No 9 - 10ft for repairs "Make new butt one new tip" #378
	1 Bass Rod repair Ferrules reset butt glued rewound Marked C
	1 Leonard Bamboo fly rod for repairs 2 new tips Marked H
	1 No 9. reset ferrules No 306 1 hours
	1 No 9 tip 1 Bass tip 2-10 long. Bamboo (Marked S)
	1 No 3 Rod - 10ft long with fluted handpiece No 54
	1 #9 Sumac butt make new 2 nd joint and repair Tip glued ferrules reset #122
	1 9ft Henshall Bass Rod metal Reel seat No 530 AEM
	1 No 11 Rod Sumac No 531
	1 No 9 1/2 Cork 2 nd Qual No 532 AEM
	1 Bamboo Bass Rod (2) pieces 7 1/2 ft long. Detachable Cork Butt. Tow tips. Full metal reel seat above h No 542
	1 Henshall Bass Rod Lancewood for repairs. Made 1 new tip & 1 new 2 nd joint Repairs old joints #101 3 hours
	1 Cheney all Lancewood. made 1 new life Reset ferrules #92 1 hour
	Made 1 new Lance tip 2 nd Qual #1

1 4 jointed cheap Rod for repairs 1 new set cheap Butt ferrules. 3 windings. Ferrules reset. 2 hours

1 Rod marked A reset ferrules 4 windings

1 Fly Rod for repairs. reset ferrules & scraped & e. Made 1 new tip - 2 - qual #15 1hour

1 Made Lance tip 2nd qual #3

1 No 9 Rod with wound handpiece 1 No 9 Rod Cutdown to 10ft with wound handpiece. sumac Both-
To be wound with guides

1 Chubb greenheart. Butt 2nd joint Lance tip. Reset ferrules. made new tip #20

1 All lance Fly rod Made 1 new tip Reset ferrules. 4 whippings #21 2 hours

1 Cheap fly Rod. Made 1 new tip tip ring on old tip. #5

1 Bamboo Fly Rod for repairs. 2nd qual Reset hand piece. Spliced tip reset ferrules #4 2-hours

1 No 9 Rod. fixed broken tip 1 new tip. Robed (sp) from #471 1 hour

1 New tip 2nd qual #A

1 Cheap Bamboo rod . made 1 New tip. marked C

1 Cheney all Lance 11ft Rod. 16 in B.W. Butt Orvis reel seat above hand standing guides

1 New Lance 2nd joint 2nd q #2

1 New Ash butt wound & 1 new lance 2nd joint #5

4 jointed rod made 1 new tip. reset ferrules # 11 2 hours

Made 2 new tips. New ferrule on 1 old tip. Making in al 4 tips ring tips on 2 tips also #G

Made 2 new tips for cork Butt & 2 joint #471

New lance tip 2nd qua #5

----- #W

Made 2 tips for #9 sumac. Butt & 2nd joint #433

Made 1 new tip #9 1/2 Rod B.W. #187

Made 1 new 2nd joint 8-3 Bass rod

4 Rods & net handle 1 Stained Fly rod for repairs Made 1 new tip 1 winding New tip ring on old tip
#7 1 hour

1 Lance whipped rod. Made 1 new tip. Reset ferrule on old tip. 1 new set cheap fer. small. 5 windings
8 1 hour

1 Old Bass Rod. 2 joints detachable hand piece Made 1 new tip Natural Bamboo

Made new landing net handle

1 Heavy Trolling rod. Made 1 tip of natural Bamboo. Reset reelseat & Butt cap & 1 ferrule 5
windings 1 hour

1 Greenheart rod for repairs cut 2nd joint down 8 in capped ferrule Reset ferrules 3 whippings 2 hours

Made 2nd joint & 2 tips for Butt #270

Made 1 new 2nd joint & 2 tips for Butt #269

Made new 2nd joint & 2 tips for Butt #273

Both of these rods No 9 1/2 cut to 9ft

Made new 2nd jt & 2 tips for #9 B.W. Butt #434

Made 2nd jot & 2 tips for 9 1/2 sumac fluted #489

	1 Bamboo Fly rod . Rest 2 ferrules spliced old tip Made 1 new 2 nd qual tip 7jts in all #W 2 hours
	Made new Cheney Butt #512
	Reset ferrule on old 2 nd jt 1/2 hour
	1 Bamboo Fly Rod. Reset ferrules Made 1 new 2 nd jt. 2 nd qual #T 1 winding _____ Also - 1 Fly rod for repairs reguled butt into hand piece Reset reelseat 1 wind 2 hours
	Made 2 lance tips 3ft long #B
	1 No 9 rod cut down to 10 ft Cork butt. (Guides) 2 nd qual #45X
	Made tip for Parts; Cheney rod #224 2 nd jot Butt 246 203
	Made 2 tips for Robs rod X #RO
	Made 2 tips for 2 nd hand No 9 1/2 #M Bolster
	1 Light bass rod 9ft. guides (1 agate & agate tips) Cork hand grasp. reel below to weigh as near 6 oz as possible Made of #9 stock & Ferrules #69
	1 No 10 Fly rod. Lance Cork hand (no 13 ferrules) #70
	1 Minnow casting rod 7 1/2 ft long reelseat above hand. Agate guides throughtout & agate tips. 1 guide on Butt 2 on 2 nd jt 3 on each tip. Length of grip end butt cap to reel 6 in. Diameter of reel 2 3/4 in #9 ferrules Black W - fluted. orvis reel seat 8-3 light stock #71
	1 Greenhart fly rod for repairs reset reffules. Made 2 new hornbeam 2 nd joints & 3 new 2 nd qual bamboo tips No 9 stock 8 joints in all tips #9
	Made 1 new #9 tip 43 in long #420
	1 No 8 Fly rod. Made 1 new tip Reset ferrules 2 whippings #238 1 hour
1894	1 No 9 1/2 Cork fly rod for repairs made 1 new tip Spliced broken tip Reset ferrules #321 2 hours
	1 8-3 Bass rod. Put new ferrule on Butt. 2 windings 2 hour
	Chubb 4 jt rod made new tip
	1 No 9 cut down to 10 ft for repairs spliced old tip. new tip reing on short tip. Made 1 new tip #544 2 hours
	1 Cheney 11 1/2 ft all lance rod Rings & reel back of hand 18 in Walnut hand grasp #72
	No 8 fly rod for repairs Reset ferrules. Fixed hand grasp 1 new tip ring 10 windings Made 3 new tips 4 old tips 2 nd jt detachable Butt #20 6 hour
	Made new 2 nd jt & tips for #9 Bamboo 2 qual old 2 nd jt & Butts 9 wind #202 1 hour
	1 Leonard fly rod But & tip - Made new 2 nd jt Reset ferrules 8 windings #9 2 hours
	No 2 Combination rod - 9ft Bass rod - 10 ft fly rod - detachable & reverseable cork hand grasp Bass rod made of 9ft bass stock -- Bass 2 nd Jt. Makes butt for fly rod 2 nd jt & tips made of 16 stock --- Reducing ferrule in handgrasp #13 1/2 & 9 1/2 ferrules 7 jts in all
	Made 1 #9 tip cut down to 10 ft for G. F Anderson #22
	1 No 13 Bass rod - B.W. handpiece reel above - Agate guide on Butt Agate ring tips. #74
	1 No 16 cork Butt Made 9 1/2 ft - 2 nd qual #75x
	No. 15 11ft 5in long - Secon qual Snake guides. taper to handle & slanting cap like old fashioned #9 rod. 14 in B.W. Butt #76x
	No. 9 Rod - guides - Sumac but wound 2 nd jt & 2 tips - Made new 2 nd jt & 2 tips. Sent by G.R. Fisher 2/13/94 Metal plugs & sack #551
	No. 9 fly rod - guides - old style hand wound - 2 second jts - 3 old tips - rings on one. Made 1 new tip - Spliced one tip - 6 wind. #63 2 hours

No 9 1/2 Cork B 2nd jt 2 tips - Made 1 new 2nd jt - 1 new tip changed all rings on rod. for standing guides. Sent by Geo R. Fisher. #492 1 hour

No 9 cut down to 10 guides. sumac wound black hand grasp Butt - 2nd jt & 2 tips. Made 1 new 2nd jt & 1 new tip sent by Geo. R Fisher #550

Made 1 new rod No. 9 cut down to 10-r. Cork Butt- Slide reel Bands Rod just like Dr Biddles #80

1 No. 9 1/2 Cork for repairs Repaired Butt - spliced tip & 2nd jt Reset ferrules #187 4 hours

#9 - Butt B. W. Reset ferrules - 1 new 2nd jt. ferrule 2 ring tips 2 tips 4 wind Butt #105 106 Leather case 2 hours

Made 2 lance tips for #8 rod 42 in long #522

Made 2 tips for #9 - 10 1/2 ft rod #A not ordered

Made 1 new lance tip 2nd qual for cheap rod Butt stained lance 2nd jt & tip #S

Made 1 second qual tip of #15 stock 45 in long #1

1 light Bass rod - reset ferrules - 1 new tip ring - 1 new tip rod # 267 tip 417 & 266 1 hour

Lance & Ash rod. Reset all ferrules 2 new ones - 1 new ring tip - repaired 2nd joint #H 2hours

1 No. 9 Orvis rod. Reset ferrules 2 ring tips. 6 wind # 101 3 hours Reset ferrules on net handle

1 Cheap bamboo fly rod, Reset ferrules, 8 wind New tip Second qual #Hin

Orvis bamboo rod. cork butt 2ndjt 2 tips, one broken, sack & R.W. Case, plugs made 1 new tip Spliced old one refilled hand grasp 2-hours

Cheap bamboo rod. Made 1 new tip spliced old one

Heavy lance bait rod 10 1/2 long. Cut rod down to 10 ft Made new 2nd jot. Took all guides #26 off & cleaned rod 3 hours

Heavy lance bait rod 10ft. Made new 2nd jt - cleaned bal of rod. All new guides 1 new ring tip # 165 2 hour

Heavy lance bait rod 10ft. Made new 2nd jt 1 new tip put new butt into old hand grasp New guides on all of rod (Sent by Pitzer) #230

#1 #9 Orvis rod wound hand Made 1 new tip - New ring tips on 2 old ones reset 2 ferrules #172

#2 Ash & lance rod - stained Butt & 2nd jt two old tips - made 2 new tips 1 new tip ring. Reset ferrules #2

#3 Bamboo fly rod, 2 new ring tip Reset ferrules. 1 wind (Butt - 2nd jt - 2 tips) New sack wanted #3

#4 Bamboo Butt - 2nd jt - & 2 tips - guides. 10 wind #4

Lance & ash rod. 1 Butt - 3 second jts - Made 4 new lance tips Changed 2 ferrules for new ones #101

1 Orvis Ash & lance rod Butt - 2nd jt. 1 tip broken - Made 2 new tips - put new ferrule on old tip. 4 wind put cover on box. #84 1hour

1 Orvis rod #8 10 ft Made 2 new tip Reset ferrules - fixed box 1 wind #272 1 hour Bolster

Ash & lance stained rod Reset ferrules - new ring tips - 8 wind 1 1/2 hours

Made tip for No 11 rod to replace one #26

Made detachable & reversible cork hand grasp solid metal reel seat Reset ferrules on rod spliced old tips made 1 new tip for fly rod (This was a #2 combination rod) #418

No. 9 sumac for repair Put new butt into old handgrasp Made 1 new 2nd Jt 4 wind Reset 2 ferrules #168 1 hour

Made tip for light Henshall #417

#9 Rod - no butt - Stole butt from rod #34 To be cut down to 10 ft and new Butt Cork #553 1 hour

Made Butt for #9 cork rod #34

No 9 tip for 2nd qual rod 10ft #90x Rod sold 6/24/94

Made 1 new tip - New dowel on 2nd jt - 2 metal plugs - 1 ring tip - 2 wind #R (ash & lance rod stained 2 old tips) Rod box wanted for this rod

1 lance Butt _ broken 2nd jt Made new 2nd jt & 1 new tip spliced old 2nd jt #4 1 hour

Put new ring tip on old tip

Spliced tip - cheap bamboo 1/2 hour

Made B.W. detachable & reversible hand grasp

#10 orvis rod - Butt & 2nd jt. Made 1 new lance tip #234

1 cheap rod Made new tip - spliced old tip

Cheap Lance rod - Spliced 2nd jt put new ferrule on tip 1 hour

Made 1 lance tip 2nd qual #4 9ft rod

1 Cheap lance 2nd jt & tips - Made 1 new tip - put ferrule on old tip left by J.W. Fowler

Orvis #3 rod wound Butts Made 2 new tips #406

1 Orvis 10ft fly rod. wound handle lancewood Butt, 2nd jt, 2 broken tips. - Made 2 new lance tips, spliced 1 old one #159 square box & sack

1 Orvis 9ft. Bass rod, Ash butt wound, 2nd jt, 2 broken tips Made 2 new tips, Reset ferrule on old tip. Guides #206 1 hour

Spliced tip, (#9 rod 10ft) #535 1/2 hour

No 2 combination rod - 10ft fly rod - 9ft Bass rod - Fly rod #9 stock cut down, 4 jts 37 1/2 in fer & all no 9 ferrules

Bass rod 9ft stock, 4 jts, 2 tips & 2nd jt 37 1/2 Butt 26 1/2 fer and all 1 detachable & reversible cork hand grasp solid metal reel seat 7/8 in #127

Made bamboo tip relace one out of rod No 9 - 10ft cork #94

1 Salmon rod for repairs - Put on 1 new ferrule reset old one - 9 wind 4 hours

Made another tip to replace rod #94

Fixed whip for Hoyt Spellman .15 cts

Fixed 2 parasols Sally Claghorn .35 cts

1 Salmon Rod 1 Butt 2 Second jts. 4 tips Cleaned entire rod put on guides 1 agate - 4 agate tips 8 hours

Made new 2nd jt for bass rod second qual Spliced 2 tips 1 hour

1 Cheney all lance rod 11 ft 17 in B.W. butt guides Orvis reel seat above #139

1 Cheney rod for repairs Made 1 - new 2nd jt - & lance tip full length, - reset new fer on broken 2nd jt & made 1 tip same length, short All lance guides wound hand 1 Butt 1- 2nd jt broken 1- tip #92 2hours

	1 - No 15 bass fly rod (11ft 3in long) 1 Butt, 1-2ndjt 2 tips - sack Made 1 new 2 nd jt Snake guides #76x	
	Made 1 new 2 nd jt lancewood for short bass rod - whipped - #12	
	Reset ferrule on greenhart tip with snake guides 1 hour	
	1 #9 rod 10ft. bamboo Made 1 new tip, Reset ferrules Repaired 2 old tips Sack, plugs & Round box #21 2 hours	
	1 #9 bamboo fly rod, sumac handle Reset ferrules 6 wind. Made 1 new tip Spliced old tip 1 Butt 1 2 nd jt 2 tips 1 broken sack & round box #281 2 hours	
	1 8-3 lance bass rod B.W. Butt 2 nd jt, broken 2 tips 1 broken sack . round box Made 1 new 2 nd jt Reset ferrules - 3 wind Reset ferrules on Landing net. new spring #126 2 hours	
1895	2 #13 1/2 Split bamboo bass rods 9ft Fluted B.W. Butt - Orvis reel seat above hand, guides # 140 & 141	
	1 bamboo fly rod - 10ft Made 1 new lance tip reset fer. on 1 bamboo tip #1 1 hour	
	Bamboo salmon rod - made 1 new lance. tip 4ft 8in long	
	1 #9 1/2 Bamboo, sumac. Made 2 new tips. reset ring tip on 1 old tip. Reset fer. sack and round box. no plugs #397 1 hour	
	#13 bamboo Reset fer on 2 nd jt 1 wind	
	1 bass rod stained bu & 2 nd jt. 3 tips. reset fer on 2 nd jt wound on guides 2 hours	
	1 Lance Rod - 9ft - whipped - Made 3 new tips - Reset fer #B 2 hours	
	1 Lance Rod 8 1/2 ft whipped made 3 new tips. Reset fer. & ring tip. Sacks & metal case, plugs for 1 rod, #B	
	#9 1/2 B.W. butt. Reset fer. Made 1 new tip #98 2 old tips #157 - 1 old tip #189 2 new ring tips 1 hour	
	Combination rod. Lance detachable hand. 5 new ring tips - 10 wind fixed handle 2 hours	
	1 #9 Bamboo wound Hand Spliced broken Tip. Reset fer. sack & round box #229 1 hour	
	1 Lance fly rod wound handle Made Butt detachable. new ring tip 3 windings Round box sack & plugs	
	Made 2 new #9 tips #88 Made 3 new #9 tips Bamboo 11 ft #C	
	1 Smith bamboo fly rod for repairs made 1 new #9 tip second qual Repaired handle & reset fer reversed rings on 2 nd jt 3 wind on butt. #W 2 hours	
	1 new lance tip fly rod Bolster make(?)	1
	Sold tip #90x with rod #103x - No. 9. - 10 ft cork 90x	2
	1 Dame Stodard & K - 10 fly rod repair fancy winding Made 1 new tip - reset new fer. \$6 tip on 2 nd jot & tip 3 wind 3 hours	1
	1 Orvis rod 9 1/2 Cork Made 1 new tip - fixed old tip #17	2
	1 Orvis rod Butt & 1 second jt (no tips) #202 Butt wound. #132 Reset fer. on Butt	1
	Orvis #9 bamboo B.W. Butt. 2 nd qual Made 1 new tip #202	2
	1 No 9 1/2 cork rod Reset ferls. 4 wind Butt 2 nd jt 2 tips, sack rnd case no plugs #495 2 hours	
	No 9 1/2 sumac. Repaired tip Reset frls. sack & R.W. Case Butt - 2 nd jt - 2 tips. no plugs #164 1 hour	
	1 tip - lance, cheap fly rod #H Bolster	
	1 Cheap bamboo fly rod put black thread wind ll on handle - spliced 1 tip 1 1/2 hours	

1 Standard fly rod 1 Butt 1-2nd jt broken 1 bamboo tip #9 Sack no case or plugs Made 2 new 2nd jts hornbeam stained 9

1 Bamboo Bass rod. Reglued Butt in handle - 25 wind - Wood form & sack Butt - 2nd jt & 2 tips #6 3 hours

1 Greenhart fly rod - (D.Scribner make) 1- Butt 1-2nd jt - broken 2 tips - sack & woodform - made 1 new 2nd jt

1 Cheap lance fly rod (Chubb) whipped 1 Butt - 1 2nd jt - 1 broken tip Made 1 new tip put ring tip on old tip #D sack & wood form

1 Bass rod reglued Butt into B.W. hand piece. 4 wind. varnished 2 hours

1 Ash butt - wound 1-2nd jt. Made 1 lance tip - 11 ft rod # R Bolster

Made 1 #9 - 10ft bamboo rod Regular sumac hand grasp wound orvis reel seat #172

#9 10 ft rod. cork hand spliced 1 tips reset Butt cap Sack & round box #213 1 - hour

1 # 8 rod for repairs Put new fer on 1 old tip & 1 ring tip Made 1 new tip - whipped 3 wind. sack & plugs Butt - 2nd jt - 5 tips #43 1- hour

Made 1 lance tip 1st qual #3

#13 1/2 Rod 1 Butt broken 1 - 2nd jt 2 - tips - Sack & round case Put in new Butt jt. #530

1 Orvis #9 rod wound hand- Butt - 2nd jt - 1 tip Reset ferls. 14 wind - sack & Round wood box #181 Reset ferl on 2nd jt #182 2 hours

2 joints - #163x & 164x to be duplicated made 2 second jt. #163x 164x

1 second qual lance tip 10 ft rod #A

Bamboo fly rod 10ft 4in Butt - 2nd jt - 2 tips - Made 1 new 2nd jt #485

Bamboo fly rod fancy whip 5 new wind & varnish 1 hour

Sold Butt & 2nd jt #161 2 tips stole from Rod No 13 Cork - solid metal reelseat above hand. Agate guide on Butt #351

#2 Dagama rod. whipped Butt 343 - S Made 2 new tips - 6 in all for the rod 1 long 2nd jt - 1 short - 2nd jt Reset fer. on tip. replace rings with standing guides 1 #1 lance rod for repairs Made 1 new tip. put on 1 new #227 ring tip 1 butt - 1 long & 1 short 2nd jt 2 old tips

Made 2 - #13 Bass tips to replace stolen ones #351

1 No 8 rod wound Hand - Reset 2 ferls. 1 new ring tip - 1 lance rod ash Butt Reset 3 ferls - 9 wind in all 3 hours

#9 B-walnut Butt Made New 2nd jt & 2 tips Second qual #141

1 9ft Bass rod - Butt - 2nd jt & 1 broken tip. Made 1 new second qual tip - Reset ferls. - all new whipping #1 1 - hour Bolster

#9 fly rod. - wound hand Put cork handle on old Butt jt Cut baln of rod down - 1 new ring tip - 5 wind. #S 5 - hours

Made lance 2nd jt replace stolen one #454

Made 2nd jt & 2 tips for Bass fly rod #8

Made 2nd jt for #13 B.W. Butt second qual #63x

Made #9 1/2 second jt. 1 tip for sumac Butt & tip #489

Mad 1 new tip for No. 9 B.W. Butt

1 new No 12 1/2 Lance Rod Cork hand. 9ft 3 in long 1 extra 2nd jt. - Reel seat below hand. Agate guide on butt & agate tips. #206

Bamboo Cork rod sliding ring reel seat, 2 broken tips - plugs - sack R.W. case (Rod 10-3 long) #9 stock Made 2 new tips - Spliced 2 old ones #467 2 hours

1 bamboo Butt broken off at handle. Glued new butt into old handle (sumac) Round paper box #272

1 Lance 2nd jt broken Made new lance 2nd jt. 41 1/4 in long over all. from end of dowel to end of ferrule #H

Short jt whole bamboo rod. Made new jt. next to tip of whole bamboo. & 1 new lance tip. whipped Reset frls. sack 1 plug 7 jts in all 1 hour

1896

1 Bethabara Rod - 1 short butt - 1 second jt - 2 tips sack & w.form. Reset 2 ferls - put on 1 new guide 1 hour

1 Orvis rod 9ft. sumac grasp 1 Butt - 1 second jt - 2 tips - Reset 1 frl - R.W. Case - sack & plugs #476

1 Orvis 8-3 rod B.W. grasp 1 Butt - 1 Sec jt. - 2 tips. sack, plugs & R.W. box Made new 2nd jt - Reset frls 1 hour

1 Divine Lance Rod 1 Short Butt 1 Sec jt broken at ferl. 2 - tips - Reset frls - Made 1 new 2nd jt whipped 13 1/2 ft long sack - form 1 plug #9 2 hours

Made tarpon rod out of #18 Butt & 2nd jt. 6 ft long double hand grasp solid metal reel seat

1 Orvis Bass rod 7 1/2 ft long Rest 3 frs. 1 new one Renickeled reel seat Butt. - Second jt - 2 tips - sack - leather case & Plugs #71 2 hours

Made tarpon rod. Whole bamboo 6' 3" long. double B.W. hand grasp fluted 2 joints.

Made 1 new #9 tip 1st qual #119

Left unfinished. Very finist stock Butt jt 28in from end of male frl. to end of female frl. Sec jt 38 in from outside ends of frls. Tips to match 2nd jts. Made of #9 1/2 stock & frls. - No hand grasp made for this rod. size of female frl in handle Same as our Regular #13 1/2 Bass frl.

Made new rod #9 cut down to 10-4 Cork handle slide ring for reel

Time on J. Bakers 2 Greenhart tips 7th 9 hours 9th 5 hours

Time spent on 2 Salmon Rods 4 hours 2 hours hanging & winding frl. fasteners Bolster Refiting Butt Reel rings 5 hours

1 #9 Orvis Rod cork Butt Cut rod down to 10 ft Sack & R.W. case no plugs #225 2 hours also 1 Cosmic Rod

1 Lance Rod - Sumac - 1 Butt 1-2nd jt 1-2nd jt broken 3 tips-2 broken 1 new set frls. on 2nd jt & tips sack & R.W. case. not plugs #227 2 hours

also 1 Greenhart 2nd jt 3ft 2in long Made Greenhart tip for same Guides #S

#8 Dagama 2nd jt - & 4 tips with guides. whipped. Changed 4 - three ring tips for single ones. 1 new frs on 1 tip made 1 new tip #S 1 1/2 hours

1 Broken Butt #9 cork 1-2nd jt. No tips Plugs & sack & R-case Made new Butt used old trim #428

1 cheap bamboo fancy wind. 1 Butt - 1-2nd jt 1 tip - sack & w form Reset 3 frls. 1 wind 1/2 hour

1 Orvis #9 B.W. Butt - 2nd jt - 1 tip Reset 2 frls. Made 1 new tip Second #202x Sack

#9 cork dark mountings. & sack Made 3 new tips #79

1 #9 orvis rod. 1 B.W. Butt - 1-2nd jt 1 spliced tip sack Made 3 new tips Reset Butt frl. Glued Butt at frl & Reset Butt #344 #77 1 hour

1 Cheney Butt 1-2nd jt - 3 tips & sack #224

1 old Orvis Rod wound Butt 2nd jt & 2 tips - sack - & tip case #C

1 Nichols Rod. Butt - wnd jt 2 tips all dowels - sack & w forms 1 hour reseting frls

1 Cheap Orvis Rod ash Butt Put on new set of .10ct Brass frls Made 1 new lance tip 2nd qual Reset Butt frl #S 1 hour

1 Orvis #8 wound handle - Butt - 2nd jt - 3 old tips - sack - & old round case - Reset 1 new frl on 1 tip - spliced 1 tip - 8 new whip. - Made 1 new tip #300 2 hours

Made 1 new tip to Replace #9 1/2 sumac Butt 147 2nd jt 442

Made 2 new tips to Replace #9 1/2 sumac #444

Made 1 new #11 Butt lance Cork #229 to Replace 1

Made 1 new #9 tip 3'9" overall #106 Made 1 new bamboo tip 3'5" overall XL

1 Bass rod double reelseat Made 1 new 2nd jt Made 1 new tip 2nd qual Reset frls on 2 tips & Butt Reset frls on 2 tps & Butt sack & grooved form Made of #15 stock guides #XL 1 1.2 hours

1 Bamboo fly rod cane handle Made 1 new 2nd jt Made 2 new tips - 1 old shorp tip Fixed handle Reset frls Sack & wood form grooved #XL 1 hour

Old Orvis rod for repairs Ash butt black wind with compass 2nd jt & broken tip & sack - Made 1 new lance tip 3-8 put new frl. & new ring tip on old tip guides #11 1 hour

Cheap Rod for repairs - 1 Redstained Butt. Rubber Hand 1 - 2nd jt - 1 broken tip Made 1 new tip - new ring tip on broken tip 2 wind #5 1/2 hour

Lance Rod Made 1 - 2nd jt & 1 tip to fit short Butt sent. Butt 15 1/2 in long including frl. Length of joints 3-8 #13 frl for Butt #9 frl for tip #28

Made 1 new tip to Replace stolen one #9 - 10 1/2 ft bamboo. Cork Hand #175

1 cheap 10 1/2 ft bamboo rod cane hand. Butt - 2nd jt - 1 short tip - Made 2 new tips second qual sack & wood form X2

Also 1 bamboo Bass Rod guides black handle Butt - 2nd jt - 2 tips

1 Orvis #9 Black handpiece Butt - 2nd jt - 1 broken tip - 1 short tip. Made 1 new tip second qual - spliced old tip. Reset new frl. on 1 tip #XW 1 hour

Made #9 tip Second qual to Replace X#517

Orvis #8 Rod wound Handle Butt - 2nd jt - 1 long tip - 1 short tip Made 1 new tip - reset new frl. on old tip - 1 new ring tip 8 wind sack & RW box Butt #19 one tip #60 2nd jt 2 tips 23 2 hours

Made 2 #9 1/2 tips to Replace stolen ones #195

Cheap Bamboo Butt - 2nd jt - 2 tips - 1 broken - Made 1 new tip second qual #X480

Made 2 new tips Bamboo #9 for 10 1/2 ft rod #421

Made Dagama Rod 10 1/2 ft 1 Butt - 2 second jts - 3 tips to whip together (without frls) weight about 8 oz #244

Made 2 second qual Bamboo tips for lance 2nd jt 3ft long Rings #X117

Made Bamboo Rod 7 1/2 ft long 1 Butt - 2jt - 2 tips - B. Walnut hand grast fluted. Orvis reel seat above. 6 in fromend of butt cap to reel band. Agate guides throughout & agate tips. Made of 8-3 light stock & #9 frls. Tips made of 9 ft stock gotout Dec "94" #245

1 Lance rod Black Handle fancy wind rod. Spliced 1 tip cleaned Butt & 2nd jt for new wind. sack & wood form (no plugs) 1 hour

Made 1 new tip #9 - 10ft guides dowel #13

	1 Lance tip 3 ft whipped #17
	Made 1 new Bamboo tip for 10 1/2 ft rod out of #15 stock Rings Spliced old tip - bamboo tip case #10 1/2 hour
	9 ft Bamboo fly rod Cane Butt & 2 nd jt - Made new tip - Put new female frl. on 2 nd jt #19 Wound Handle with silk 1 old lance 2 nd jt Reset frl. 2 wind #18 1 1/2 hour
	1 new tip for this rod #9 stock #19
	Made 1 new lance tip for #8 rod (stolen) 541
	1 Bamboo rod for repairs turned ring & put on handle straightened 2 nd jt & frl 10 wind sack & plugs varnish No Num 4 hours
	Made 2 new tips. (Stolen out) X246
	1 Salmon rod for repairs Reset 2 tip frls Glued break in butt & wound 5 hours
	1 Leonard fly rod for repairs 11 ft 1 Butt 1 - 2 nd jt 2 short tips sack & stained box Cleaned old windings & varnish all off & made 2 new tips with agate tips. Rod to have ring guides #S 4 hours
	Made new 2 nd jt & 2 tips for Butt #185
	Made new 2 nd jt & 2 tips for Butt #193
	Made new 2 nd jt & 2 tips for Butt #137
	1 Bass rod 7 1/2 ft for description see p 157 Butt 2 nd jt 2 tips Made 1 new tip to replace weak one, used old guides sack plugs & leather case #245
	1 12 Ft Lancewood rod (3 jointed) two middle jts & 3 tips - 16 in sumac handgrasp - Solid metal reelseat above the hand, (15/16 in inside) Cheney frl on Butt - #9 1/2 butt frl. on 2 nd jt & tip Standing guides #266
	#9 - 10ft sumac Sack - plugs - R.W. case 1 Butt #437 1- 2 nd jt #437 2 tips 1 broke #475 Made 1 new tip - spliced old one - Reset caps on hand piece - Rewound rings on 2 nd jt. 2 - hours
1897	1 Cheney Bass rod larger 20 oz p 72 1 Butt - 1 2 nd jt - 1 tip - sack Made 1 new hornbeam tip refitted & reset all frls. no plugs on wood case - 11 wind - #167 3 hours
	Old Orvis rod - Ash Butt lance 2 nd jt - & 2 tips - Worked down to 9 ft casting rod - using all new #9 frls GS no sack or plugs #H 6 - hours
	Reset frls on bamboo tip case Reset frls on landing net handle 1/2 hour
	1 Orvis Bamboo wound hand. 1 Butt - 1 sec jt - 2 tips all sound - Resetting frls & 2 ring wind.. sack #101 1 - hour
	1 # 16 Cork Rod 1 Buttt - 2 Sec jts - 2 tips - sack & Round case - all sound put in 3 new Plugs varnish #164x
	1 Black handle Bamboo 1 Butt - 1 sec jt - 2 tips canvas bag Reset Butt frl. Rewound 4 rings #Hin 1 hour
	1 Cork handle Bamboo 10 ft Cedar in Butt 1 Butt - 1 2 nd jt - 2 tips - Made 1 new 2 nd jt - Reset frls. #7 1-hour
	Sewing leather rod case 1 hour
	Made 1 new #8 Lance rod - Cork hand - 1 fly tip 6 in short. Do not want rod to weight over 7 oz. 231
	1 Lance Bass rod 1 Butt 1 - 2 nd jt plugs 3 tips Reset frls. & reelseat 3 wind R 1 1/2 hours
	1 Chubb Lance Bass rod 1 Butt 1 sec Jt - 2 tips - Reset Butt cap & frls. 28 whippings plugs no mark 2 1/2 hours

1 old Orvis rod dark ash Butt 1 sec jt - 4 tips - Black wind Reset 1 frl - put 1 new frl on on tip #18 1 hour

11 ft Bamboo - 1 Butt - 1 - 2nd jt & 2 tips - Rewound on 1 ring #R

1 Salmon Rod 15ft 1 Butt - 2 -2nd jts 4 tips Made 2 new tips one of greenhart & one of dagama - Reset frls & spliced 2 old tips (sack & plugs - 4 hours

1 - Chubb 2 jt. Lance rod 1- Butt 2 tips - Made 1 tip - for one broke by C.F.O put new tip ring on other tip No num

1 Leonard Bamboo Bass Rod 1 Butt - 1-2nd jt - 2 tips - sack & grooved form for 2 tips Plugs. Reset frl on broken 2nd jt. Took off all guides & marked on oposite side - Turned reel seat around #21 3 hours

Made new Henshall Bamboo rod 8 ft long. (like Mr Churchills 7 1/2 ft but 6 in longer) Made out of 9ft heave bass stock & #9 frls with the 2 male tip frls capped - B.W. Butt 6in from end of Butt cap to reel diam. of reel 2 3/4 in Agate tips & guides throughout orvis pat. reel seat above hand #234

4 jt Bamboo rod 8 jts in all made 1 new 3rd jt 2ft5 in long with frl wound silk on hand - reset frl & reelseat Plugs sack & leather case #2 1 hour

1 old Orvis #8 rod for repairs Reset all frls 2 wind Made 1 new sec jt lance. Sack #24 1 hour

1 Orvis #9 10ft cork 1 Cork Butt - broken - 1 sec jt - 2 tips - one broken - sack & R-Box. Spliced old tip Reset new butt jt on old handgrasp using 1 set of frls. Time spent on tip - 1hour on butt 4 hours #126x

1 Bamboo in blue sack Butt #3, Sec jt #3 , 2 tips #15 Reset all frls. Put on new top ring 1 new ring tip #3 & 15 2 hours

1 Cheap Bamboo bass rod B-handle Butt sec jt, 1 tip, light sack Put on new ring tip 1 wind 1/2 hour

1 Kosmic Bam fly rod Butt, 2nd jt, 2 tips, tip case, sack & leather c. 8ft 7in length of rod

Hawks, continued Bamboo fly rod red sack & tip case Butt, Sec jt, 2 tips, one broke Made 1 new 2nd qual tip Reset reelseat. wound 2 broken frls #16 1 hour

1 #9 Orvis Bamboo 10ft cork Butt, Sec jt, 3 tips & one broke Made 2 new tips sack & R-box 1 tip - #373 #225

1 10 1/2 ft Bamboo fly rod 1 Butt, 1 short sec jt, 2nd qual cut rod down to 10 ft 1 new set frls on sec jt & tip 4 wind cedar in butt, 1 new ring tip. W x 2 hours

1 Bass lance 2nd jt - & broken tip Made 2 tips - Spliced old one #1

1 Orvis Bass 2nd jt - & tip Made 2 new tips Reset frl on old tip #M 1 hour

1 Bass lance. 2nd jt, & tip broken Made 2 tips. Put Ring tip on old tip square box #2

1 new #9- 10ft Bamboo tip Spliced old tip Round box #100x #104x 1- hour

#9 1/2 Bamboo fly rod cork B- Changed frl on 2nd jt to fit 2 new tips - put in new plugs sack & R-box #362 #174 1 hour

1 Orvis 8-3 Bass rod 1 Butt & - 2nd jt - Badly crooked 2 tips - sack plugs & R. Box Agate guide on Butt broken Turned reel seat around cleaned all wind off Butt & 2nd jt & straightened #182 2 hours

Long Bam. Bass rod Butt - Sec jt. - 1 long tip - 1 short tip - canvas case - Reset frls - rewound 1 guide #4 1 1/2 hours

1 Cheap lance fly rod - cork 1 Butt - 2nd jt - 2 tips - 1 broken sack & blue form Reset all frls - spliced tip 1 new ring tip. #5 2 hours

1 cheap lance fly rod cork Butt 2nd jt - 2 tips - frl. gon on one sack & blue covered form - Put new frl on tip - Reset all frsl & reel seat - 1 new ring tip 8 win #6 2 1/2 hours

1 Orvis #8 Rod for repairs 1 Butt - 1 sec. jt - 5 tips - fitted new female frl on Sec jt. & new frls on 2 tips Rest all old frls. 10 wind new plug in butt frl . Glued box - sack #43 3 hours

1 9ft Greenhart fly rod Butt - 2nd jt - 1 tip. sack & wood form Made new Greenhart tip Reset frl. - wound on ring tip Made new tip case Bamboo 1 hour

Mended broken lance Butt with Brass frl - new brass male frl. for sec Jt. 1 1/2 hours

1 old Orvis rod ash Butt for repairs Made 1 new lance tip Spliced 3 old tips Reset Butt frl #S 2 hours

1 Cheap Bam. rod Black wood hand. 1 Butt - 1 tip Made 1 new 2nd jt - Sec. qual. 1 new ring tip #2

4 Rods 1 9 1/2 sumac Butt - Reset frls. Splice 1 Sec. jt - Made 1 new tip 2 new plugs sack & R-Box #100

1 # 16 Bam. Cork Butt. - 2nd jt - 2 tip - sack & R. Box Reset frls - made 1 new tip - 2 new Plugs

1 #10 lance rod 1 Butt - 2nd jt - 2 tips - sack Reset frls. Rewound tip #109 5 hours in all

1 #1 rod Ash Butt Butt. 2nd jt. 2 tips - Reset frls. Made 1 new Tip #201

#9 1/2 Bam Cork Reset frls, Butt Sec jt. 3 tips. sack & R W box 1 1/2 hours Bolster

Made 1 new lance Sec qual tip for #8 rod #24x

Spliced cheap lance Butt with frl new piece of lancewood .65 cts

1 cheap lance black handle rod Butt - Broken jt - 2 tips Made new 2nd jt. sec qual sack & wood form

1 Orvis ash Butt lance 2nd jt. & 1 broken tip. Made 1 new tip #3

#9 Bamboo . B.W. Butt - 2nd jt & 1 tip. Made 1 short Bam tip sec. qual #515x sack

#9 Bamboo fly rod sumac butt 2nd jt & 2 tips - plugs Reset all frls #346 1 1/2 hours

1 #9 cut down to 10-4 1 Butt 1 - sec jt, 2 tips - 1 broken Spliced tip reset 1 frl sack plugs & round box #467 1 hour

Bam 2 jtd, rod. 1 Butt cracked 2 tips - 1 Plug round form & case Reset frl with cap on Butt Making Butt 1 7/8 in shorter 1 hour

1 orvis Henshall Bam. 1 Butt. - 1-2nd jt - 2 tips - 1 broke Reset 2 frls.. - 1 new sec qual tip - spliced old tip sack r.box & plugs #415 1 hour

1 Ash & lance rod - Butt - 3 - 2nd jts 3 tips - 2 broken - round wood case - Made 1 new lance. tip. Reset frl. on 1 old tip - spliced 1 tip - fitted frls #5 2 hours

1 - 4 jtd. rod #16 tips & 2nd jt #9 sec jt & #9 1/2 butt - cork - slanting cap Lenght of jts frl included 29 7/8in 4 rings on tip - 3 on 3rd jt - 3 on 2nd jt. 1 - on butt - #9 1/2 frl.. on butt male frl capped - #16 butt frl on 2nd jt - #9 1/2 frl 3rd jt

Made 1 new lance tip for 10ft rod frl.. left but no name on order

1 Bamboo Bass Rod Reset new frl on broken 2nd jt 2 new 3 ring tips Made 1 new bam. 2nd jt. Guides (This rod sent all but 2nd jt) #4 2 hours

1 Dame Stoddard & Kendall 9 1/2 ft Bam rod 1 Butt - 1-2nd jt broke - 2 tips - sack & wood form - Made 2 new 2nd jts. #1

11 ft bam fly rod 1 Butt - 1 sec jt -2 bam & 1 lance tip sack & wood form set new frl on lance tip #2
1 hour

9ft Bam. fly rod #3 1 Butt - 2 tips - sack & wood form Made 2 new 2nd jts #3

1 cheap bam - 1 Butt - 1 - 2nd jt 1 tip - sack & 1 plug - cleaned all old wind & var. off Reset frls #13
2 hours

Made 2 #9 tips for 10 1/2 jt bam rod - all pinned #J

Bam. Butt & 2nd jt. Reset frls. wound silk in cane hand grasp ---- 1 - 2nd jt reglued & reset frl - plug in
this jt 1 1/2 hours

#1 Combination rod Made 1 new bass tip - Repaired 2nd jt. - replaced 2 plugs spliced broken tip. #144
2 hours

1 - 10 ft bam fly rod 1- Butt - 1 sec jt - female frl broke off 1 lance tip - in broken tip case canvas
sack Made 1 new bam tip - Rest new frl on sec jt. Made 1 new tip case 3 wind #7 2-hours

Bam fly rod made by Trowbridge Co. 1 Butt -1-2nd jt - 2 tips - 1 broken at frl. Made 1 new tip - Reset
new frl on old tip - wood form & sack #C 1 hour

Made tip for 10 1/2 ft bam to replace #175

Made tip for #9 bam to replace (sumac B.) #433

11 ft Bam fly rod wound hand Made 1 new tip Spliced 1 old tip - reset new ring tip on 1 tip - sack -
pined #281 1 hour

Spliced Bam.. 2nd jt. #86 1/2 hour

Made new bam tip for Com. rod #151

Spliced Bam tip #4 1/2 hour

#16x Bam Rod - 1 Butt - 2 - 2nd jts One broken - 2 tips - sack & R-Case Made 1 new 2nd jt. Sec qual
#164x

Made new cheap Bamboo butt sumac handpiece use all old trimmings. #5 3 1/2 hours

1 #8 rod - 1 Butt - 1-2nd jt broken - 4 tips - Reset frls on 2nd jt. Made 1 new 2nd jt. sack & case 4 wind
\$540 1-hour

1 short trolling rod tip 1 1/2 hour

Spliced 1 cheap lance tip 1 hour

Made 2nd qual lance tip

Made 2nd jt & 2 tips to Replace stolen #136x

1 cheap Bam. cane hand Made 1 new sec qual. tip 1 new ring tip - sack & wood form cleared off all
old wind wound silk in cane hand grasp #1 2 hours

Made 1 tip to replace stolen #13 B.W. Butt sec qual. #67x

#9 - 10ft Made new bam. 2nd jt. Sec qual

Spliced bamboo tip #218 1- hour

Made tip to replace #433

Made 2 tips to replace stolen ones #434

Made lance tip for cheap orvis rod ash butt #54

Made 2nd jt & 2 tips Bam. sec qual #135x

Made 2 Tips for #11 lance rod B.W.B #26

M.

	Cheap Bam . cork hand. 1 Butt 1-2 nd jt 1 tip broken wood form Made Sec. qual tip spliced old tip \$1.00 #17 2 hours
	Made lance, 2 nd jt to replace #536
	#8 sumac hand Reset new male frl on 2 nd jt. Reset old frl on tip 1 new tip & 1 new 2 nd jt #43 1 1/2 hours
	9ft bam. 1 Butt. 1-2 nd jt short - 3 tips 1 broken. grooved form & cnavass coverd case. Rewound handgrasp Hack twine in place of broken cork reglued & straighted at frl. Spliced broken tip made new 2 nd jt #C 3 hours
	Also 1 add 2 nd jt for 10ft bam Straightened & 18 wind #4 1 hour
	(Quentuis rod) Made new #9 cork Butt. #497
	1 - lance. Bait rod windings & cane handle - 1-Butt - 1 sec jt - 2 tips Sole leather case for all
	1 - 9 1/2 ft. lance . rod cane handle 1 - Butt - 1 sec. jt - 2 tips - sack -#1 reset 2 frls on broken sec jt. 1 hour
	1 lance. Bass rod 8-3 cane hand 1 Butt 1sec jt - 2 tips - blue sack
	1 #9 Orvis sumac Butt & 1 tip old sack - Made new 2 nd jt & 1 tip. Second qual splice broken tip. #176 1 hour
	1 - Heavy bam. bass rod cane Butt 2 nd jt - 2 tips - Recaped frl & reglued at 2 nd jt - wound weak place on tip striped sack 1 hour
	1 Orvs #9 - 10ft bamboo 1 cork Butt - 2 nd jt broken - 1 tip - Made new 2 nd jt. new ring tip on tip - plugs #544
	Henshall Bass rod Ash Butt 2 nd jt & 1 tip - sack R.W. Box Caped Butt & 2 nd jt frls cut 2 nd jt & tip down to length of Butt Made new tip #129
	7 1/2 ft Bam Bass rod - 1 Butt - 1-2 nd jt. broen at frl - 2 tips - Plugs - sack & leather case. agate guides - Made new 2 nd jt. & 1 new tip wound splint on old tip #234 1 hour
	Made 2 nd jt & tip for #8 rod to replace #229
	#9 - 10 ft bam rod cork hand Made new 2 nd jt Wound bad spot on old 2 nd jt Rod complete sack - plugs & case #252
1898	#9 1/2 Bamboo, "97 stock 3 jointed - stock cut down to 3 ft 1/4in frs & all used #9 1/2 frsl new size. 1 Butt to fit detachable & reversible sumac handle sent by Mr Mott - 1 - 2 nd jt & 3 tips - one 8 in shorter #267
	1 Cheney all lance rod 14 in B.W. Butt Orvis reel seat below hand - agate guide on Butt & agate tips - #9 1/2 Butt frl used for small end reg Cheney Butt frl on Butt #268
	Made #9 1/2 sec qual 2 nd jt to replace 245x
	Made #9 1/2 sec qual 2 nd jt & 2 tips for Butt #238x
	1 Orvis #9 - 10 ft bam. rod 1 Butt - 1- 2 nd jt - 2 tip one broken sack & round box Made 1 new tip - spliced old one Reset butt cap #520 1 hour
	Butt without grasp - 2 nd jt & 2 tips put on 1 new ring tip - 1 new ring & wind sack 1/2 hour
	1 Orvis #9 1/2 bam. rod complete plugs sack & round box Reset 2 frls. #31
	Made detachable & reversible sumac hand grasp. 3/4 solid metal reseat. Handle 12 in long for rod #267 6 hours work
	Orvis # 9 1/2 bamboo rod complete except plugs Reset 2 frls. #203
	Made new Henshall bass butt - cork used old trimmings. bal of rod complete #182 4 hours
	1 bam fly rod - Butt - 2 nd jt - 1 tip & sack - Made sec qual tip.

No 9 bam fly rod. B.W. Butt. Butt - wnd jt broken - 2 tips sack plugs & round box our tip #153 Cut 2nd jt off & reset all frls Made new 2nd jt. #169 1 hour

#9 cork rod complete Made 2 lighten tips in place of old onew #215

#291 special rod 4 jts all jts - 28in frl & all tips made of comb rod stock also 3rd jts - Butt & sec jt. #9 1/2 stock, #91/2 small frl on tips #13 small frl on 3rd jt. #9 frl on butt. lenght of rod 9ft - cork hand - orvis reel seat below hand. slanting check -

1 bam . rod. cane hand - sack - plugs case. Reset frls & reseat R 1 1/2 hours Detachable handle Reset rings & rewound black thread on handle 1 1/2 hours

#9 1/2 cork - Butt broken in handle 2nd jt. - & 1 short tip - sack & R. box - Made new cork butt with old trimmings Made 1 new tip new ring tip on old tip - reset frls 249 1/2 hour

#9 - 10ft C.X. sack & R.C- 1 Butt unglued at hand - 2nd jt 2 tips. one broken - Made 1 new sec qual Tip - spliced broken tip Reglued butt - & reset all frls 5 whips #46X 3 hours

Made bam. tip 19 1/2 in long using old trimmings. 2 guides #14 2 1/2 hours

9 1/2 Bamboo. Walnut hand. 1 Butt - 2nd jt broken - 4 tips -sack & round box - 2 tips #157 - 1 tip #189 - new plugs. Made new 2nd jt - spliced old one. Glued up case. reset cheek cap #98 2 hours

#9 - 10ft c - 1 Butt - 1 sec jt - 2 tips #253 - 1 tip #136 sack plugs & r-box. Made 1 new tip spliced old tip reset frls. #116 1 1/2 hours

#8 rod - 1 Butt - 1 sec jt #364 - 1 tip broken sack & round case - Made 3 full length lance tips Made 1 short tip - Put new frl on Broken tip 265 1/2 hour

#9 bam. sumac hand. 1 Butt - 2nd jt 2 tips - sack . Reset frls - 3 wind - put in another #15 tip 173 1 hour

1 Kiffe bam. black rubber hand 1 butt - 1 - 2nd jt - 1 tip - Reglued tip 4 wind - wound weak place in sec jt. 1 new ring wind Reset frls 1 1/2 hours

Spliced bam tip #171 .25 cts

#9 10ft cork 1 Butt - 1 - 2nd jt - sack round box. Made 4 new tips.

Split bam. dowells cane hand. But - 2nd jt - 2 broken tips sack & tip case Turned reel seat on butt, reset frl.. 2 new ring tips - 4 wind #3 1 1/2 hours

#9 1/2 cork - Butt - wnd jt - 1 tip Put in 1 new 2nd jt & 1 new tip sack case & plugs #257 #197

#9 bam B.W. Butt 1 Second jt. Sack Made 1 new tip #208 #202 & 1 tip #517x

9 1/2 cx Rod complete sack & plugs #237x Put in new 2nd jt & 1 tip #131X

1 #10 lance tip all pinned #B
